## Hisense 55" U8QTUK MiniLED 165Hz Smart AI TV with Freely

## Brand : Hisense

Product code: 55U8QTUK

Product name : 55" U8QTUK MiniLED 165Hz Smart AI TV with Freely

55", Mini LED PRO, Ultra HD 3840x2160, Dolby Vision, 165Hz, Quad Core/ Hi-View Al Engine PRO Hisense 55" U8QTUK MiniLED 165Hz Smart Al TV with Freely. Display diagonal: 139.7 cm (55"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: ULED, Screen shape: Flat, LED backlighting type: Mini LED PRO. Smart TV. Display brightness: 700 cd/m<sup>2</sup>, Response time: 6 ms, Contrast ratio (typical): 2000:1, Native aspect ratio: 16:9. Digital signal format system: DVB-C, DVB-S, DVB-S2, DVB-T2. Wi-Fi, Ethernet LAN. Product colour: Black, Grey





Diamlaw		Ports & interfaces	
Display			
Display diagonal *	139.7 cm (55")	HDMI version	2.1
HD type *	4K Ultra HD	PC in (D-Sub) *	×
Display technology *	ULED	Ethernet LAN (RJ-45) ports	1
LED backlight	1	USB 2.0 ports quantity *	2
LED backlighting type	Mini LED PRO	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	1
Screen shape *	Flat	ports quantity *	
Native aspect ratio *	16:9	Composite video in	1
Display brightness *	700 cd/m <sup>2</sup>	Audio (L/R) in	1
Response time	6 ms	Digital audio optical out	1
Native refresh rate	165 Hz	Headphone outputs	1
Contrast ratio (typical) *	2000:1	RF ports quantity	1
Viewing angle, horizontal	178°	Common interface Plus (CI+) *	<ul> <li>Image: A start of the start of</li></ul>
Viewing angle, vertical	178°	HDMI ports quantity *	3
Display resolution *	3840 x 2160 pixels	Management features	
Display diagonal (metric)	139 cm	Voice control	1
Anti-glare screen	1	Voice guide	1
Colour gamut standard	DCI-P3	5	•
Peak luminance ratio	95%	Electronic Programme Guide (EPG)	
TV tuner		Programming period	8 day(s)
Tuner type *	Analog & digital	On Screen Display (OSD)	✓
Digital signal format system *	DVB-C, DVB-S, DVB-S2, DVB-T2	Hotel mode	Image: A start of the start
5 5 ,		Sleep timer	<ul> <li>Image: A set of the set of the</li></ul>
Smart TV		Works with Amazon Alexa	1
Smart TV *	1	Works with the Google Assistant	×
Internet TV *	✓	J	
Operating system installed *	VIDAA	Power	
Operating system version	U9	Power consumption (typical) *	220 W
Apple AirPlay 2 support	1	Power consumption (standby) *	0.5 W
		Energy efficiency class (SDR) *	E

Smart NUPowerHybrid Brandcas Brand burl V (HbD/N warsion2.0.4Energy consumption (SDR) per 100 (HDR Prof Brandcas Brand burl V) (HDR Prof Brandcas Brand burl V) (HDR Prof Brandcas Brand burl V)2.0.4Energy consumption (SDR) per 100 (HDR Prof Brandcas Brand burl V) (HDR Prof Brandcas Brand burl V)2.0.4 (HDR Prof Brandcas Brand burl V) (HDR Prof Brandcas Brand burl V)Sole (HDR Prof Brandcas Brand burl V) (HDR Prof Brand Bran	0			
disbury- engr consumption (SDR) per 100 bours - motor S Barr modes III immaker, MAX Enhanced- engr consumption (HDR) per Benergy consumption (HDR) per Benergy consumption (HDR) per SAT modes III immaker, MAX Enhanced- engr consumption (HDR) per Benergy series of the per series of t	Smart TV		Power	
hybrid Boadcast Broadband TV (short works)0.0.4hours **of worksSmart modesFilmmaker, MAX Enhanced1000 hours **1000 hours **1000 hours **AudioFilmmaker, MAX Enhanced1000 hours **1000 hours **1000 hours **Audio output Anames6Actingut requency5000 hzAudio output Anames1.2 channelsEnergy efficiency scaleA to GAudio output Anames2.0 VDeby Atmoss, Dolby Atmos, Dolby AtmosDolby Atmoss, Dolby AtmosSubwork FMS power7Forceasco (Armetes)Compensation MotionEquilier7Forceasco (Armetes)Compensation MotionEquilier7Forceasco (Armetes)Marce Science)Equilier7Forceasco (Armetes)Marce Science)Equilier7Forceasco (Armetes)Marce Science)Equilier7Forceasco (Armetes)Marce Science)Equilier7Forceasco (Armetes)229 mmEquit (Mit Armetes)6(802110, WFI S(82110, WFI S(80110, WFI S(8011		1		
Smart modesFilmmades100 forus************************************		2.0.4	hours *	04 KW11
Number of speakers *Ac inqui frquinory50/60 H2NMS rated power *25 WEnergy stillency scaleA to 4NMS rated power *25 WEnergy stillency scaleA to 4Subworder20 WEnergy stillency scaleA to 5Subworder20 WEnergy stillency scaleA to 5Subworder20 WHenses technologies (AV/TV)Were signification (Materia Standard)Equalizer21 WProcessorMTS Standard)EqualizerMAX EnhancedMTS Standard)MTS Standard)Equalizer20 WMTS Standard)MTS Standard)Equalizer20 WMTS Standard)MTS Standard)Equalizer20 WMTS Standard)MTS Standard)MS Fi standards20 Standard)MTS Standard)220 MTS Standard)Bielstonth*20 MTS Standard)220 MTS Standard)220 MTS Standard)Bielstonth*90 MOI to MTS standard)120 MTS Standard)220 MTS Standard)Bielstonth*90 MOI to MTS Standard)120 MTS Standard)220 MTS Standard)Bielstonth*90 MTS Standard)120 MTS Standard)220 MTS Standard)Bielstonth*90 MTS Standard)120 M	Smart modes	Filmmaker, IMAX Enhanced	57 1 1 71	160 kWh
Number of speakers **6 CompressionFaregy saving mode/RNS rated power25 WEvergy saving modeA to GAudio cupu channels*Evergy facific featuresDelay Annores, Delay MicroSubwoofer RMS power20 WBrand-specific featuresDelay Annores, MicroSubwoofer RMS power20 WDelay Annores, MicroMicroEqualizer*Delay Annores, MicroMicroEqualizer*Pachaced Audio Return Channel*Enhanced Audio Return Channel*ProcessorMiros*RNF-1*ProcessorMiros229 mmRNF-1*ProcessorMiros229 mmBluetooth version5.3Miros (Miros Miros)229 mmBluetooth version5.3Miros (Miros Miros)229 mmBluetooth version5.3Miros (Miros Miros)229 mmBrower SupportedOdinHeight (Wirbat stand)1229 mmBrower SupportedOdinProcessor400 mmBrower SupportedOdinProcessor400 mmBrower SupportedOdinProcessor400 mmPoduct Colour ameCalcer standMiros (Miros Miros)219 mmPoduct SupportedBlack, GreySind deph20 mmPoduct SupportedBlack, GreySind without stand)7.4 mmPoduct SupportedBlack, GreySind without stand)7.9 kpPoduct SupportedBlack, GreyProcessor300 mmSund youCaler stand	Audio		AC input voltage	100 - 240 V
BNS rank owner55 WEnergy stein mode✓Audio output channels4.1.2 channelsEnergy efficiency science A for GBuich subworfer✓Pardaspecific featuresDolby Atoman.Subworfer MMS power20 WTendaspecific featuresDolby Atoman.Subworfer MMS power20 WTendaspecific featuresDolby Atoman.Subworfer MMS power20 WMAX EinnancedDolby Atoman.Subworfer MMS power20 WMAX EinnancedCompensation MotionEvalatizerMAX EinnancedMCAM/22MCAM/22EvalatizerMCAM/22MCAM/22MTSEvalatizer802.11, 802.11, 802.11, 904.11, 904.11, 904.11129 mmWi-Fi Standards602.11, 802.11, 802.11, 904.11, 904.11129 mmBiletothSible featuresMelpit K dimensionWi-Fi Standards602.11, 802.11, 802.11, 802.11Welpit K dimension129 mmBiletothMelpit K dimt stand)129 mmBiletothMelpit K dimt stand)129 mmBiletothMelpit K dimt stand)129 mmBiletothMelpit K dimt stand)174 mmBiletothMelpit K dimt stand)1		6	AC input frequency	50/60 Hz
Aution open and solution of the solution o	•		Energy saving mode	✓
<table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container>	•		Energy efficiency scale	A to G
Audio decode MAX EnhancedItisense technologies (AV/FY)Itemeter, MAXE Enhanced Maxe EnhancedEqualizer Enhanced Audio Return Channel (eARC)-Technical detailsEnhanced Audio Return Channel (eARC)-MCAH/A2/NUEAH/A2MCAH/A2//NUEAH/A2MCAH/A2//NUEAH/A2MCAH/A2//NUEAH/A2SPCDE Concessor (B02.11s, WEF) 5 (80.2.11s, WEF) (80.2.11s, WEF) (80.2.	•	1	Brand-specific features	
Audio decodersInstruction function, bodie match Mark EmancedInstruction function Compensation)EqualizerCompensation)EqualizerEnhanced Audio Return Channel-NCAM/A2-Network-NCAM/A2Network-NCAM/A2Wr.Fir standards-StandardsStandards1BluebochNCAM/A2Blueboch version5.3Weight & dimensions229 mm-Blueboch version5.3Weight (with stand)229 mm-Blueboch version5.3Weight (with stand)22.9 kg-Blueboch versionBrower supportedOdinHeight (without stand)124 mm-Brower supportedOdinHeight (without stand)124 mm-Product colour *Black, GreyStand with37 mm-Colour ameBlack, GreyStand with40 cm-Product colour *Black, GreyStand with40 cm-Colour ameBlack, GreyStand with40 cm-Product colour *Black, GreyStand with148 mm-Package withPackage with17 mmPackage depth134 mmHeight (without stand)Stand colourStand colourHeight (without stand)148 mm- <t< td=""><td>Subwoofer RMS power</td><td>20 W</td><td></td><td>Dolby Atmos®, Dolby Vision™, Hi-</td></t<>	Subwoofer RMS power	20 W		Dolby Atmos®, Dolby Vision™, Hi-
Equalizer         Functional system           Enhanced Audio Return Channel         NCAWIA2            Enhanced Audio Return Channel         NCAWIA2            NEKor         SPDIF Output         10           NUF.F.*         SPDIF Output         10           WirF.standards         SPDIF Output         20 mm           Biletototh         S2.11a, 802.11b, 802.11a, 000.11a, 000.11         Wirf With stand)         220 mm           Biletototh         G(802.11a, 000.114), Wirf S (802.11a, 000.11         Wird With stand)         220 mm           Biletototh         S.3         Weight (with stand)         120 mm           Biletototh         S.3         Weight (with stand)         120 mm           Biletototh         Midith         Stand Stand         220 mm           Colour name         Odin         Midith (with stand)         210 mm           Stand topic         Center stand         Stand depth         40 mm           Stand tolour         Bileck, Grey         Stand depth </td <td>Audio decoders</td> <td></td> <td>Hisense technologies (AV/TV)</td> <td>(Motion Estimation Motion</td>	Audio decoders		Hisense technologies (AV/TV)	(Motion Estimation Motion
BandardsNICAM/A2NICAM/A2NICAM/A2RetworkProcessorMicrosonMicrosonWi-Fi *S/PDIF output19555Wi-Fi *B02.11a, 802.11b, 802.11a, Wi-Fi *S/PDIF output1229 mmB02.11a, 802.11b, 802.11a, Wi-Fi *Weight & dimension229 mmBluetooth *-Microson200 mmBluetooth *-Height (with stand)229 mmBluetooth *-Height (with stand)22.9 kgBluetooth version5.3Weight (with stand)22.9 kgWeight (without stand)10011.9 kgBrowser-Weight (without stand)17.9 kgBrowser supportedOdinDepth (without stand)17.9 kgDesign-Weight (without stand)17.9 kgProduct colour *Black, GreyStand depth26 cmColour nameCarcol greyVeidage width1484 mmHousing materialAlon minum, Plastic, Stainess stelMonual4Stand typeCenter standPackage weight27.9 kgPackage leight17.3 mmPackage weight27.9 kgHigh Dynamic Range 104 (HBRU) (High Dynamic Range 104 (HBRU), High Dynamic Range 104 (HBRU), High Dynamic Range 104 (HBRU), High Dynamic Range 104 (HBRU) MicrosonAcItelest furticitie-Cables includedACRetore cortor lincludedKereeSenderSenderItelest furticitie-Cables includedACItelest furticitie-Cables included	Equalizer	<ul> <li>Image: A set of the set of the</li></ul>		compensation,
NetworkProcessorMT9655Wi-Fi**SPDIF output1Wi-Fi standardsadd 211a, 80.2.11b, 80.2.11b, 80.2.11b, 80.2.11a, Wi-Fi st (80.2.11a.v)Wiefk f dimensionsBiluetooth **Beight Collange, Vi-Fi st (80.2.11a.v)Wiefk f dimensionsBiluetooth **Mich (with stand)2.29 mmBiluetooth **Height (with stand)2.29 mmBiluetooth **Wiefk (with stand)2.29 mmBiluetooth version5.3Weight (with stand)1229 mmBrowser supportedOdinHeight (without stand)1229 mmWeib browser*OdinHeight (without stand)17.4 mmDesignVicto colar *Black, GreyStand depth714 mmProduct colour *Black, GreyStand depth40 cmColour nameCharcoal greyStand depth40 cmVESA mounting **Quick start guide*Parle mounting interface400 w400 mmQuick start guide*Vest mounting interfaceBlockPackage weight173 mmPerformance*Package weight173 mmPerformance*Package weight27.9 kgWieft function*Remote control lyzedAcGame mode*AcAcVide formats supportedVirt J.264, HEVC, MPEG2, MEG4AcAluminum change 10 (HDR10), High Bymanic Range 10 (HDR10), High Bymanic Range 10 (HDR10), High Bymanic Range 10 (HDR10), High Bymanic Range 10 (HDR10), High Bymanic Ran		1		
Wrife iProblemSPPDIF output:1Wrife iSPPDIF output:1Wrife iSol Lla, 802 Llb, 802 Llb, 804 Llb, 8	(earc)			
Wi-FiWi-FiWi-FiWieff & dimensions802_11a, 802_11b, 802_11a, Wi-FiWieffk & dimensions1229 mmBluetooth*-Depth (with stand)290 mmBluetooth version5.3Depth (with stand)22.9 kgBluetooth version5.3Weight (with stand)22.9 kgBluetooth version-Depth (with stand)1229 mmBluetooth version-Depth (with stand)1229 mmBrowser supported0Depth (without stand)1229 mmDesign-Depth (without stand)17.9 kgProduct color*Black, GreyStand digth40 cmColour nameCharcoal greyStand digth40 cmPostgan materialAluminium, Plastic, Stainless steelManual-Pael mounting interfaceA00 x 400 mmQuick start guide-Paelsage width1844 mmPackage height173 mmStand toppColour standPackage width1484 mmStand toppDipty Vision, Dolby Vision, Dipt, HighPackage wight27.9 kgPackage height27.9 kgPackage wight27.9 kgPackage wight27.9 kgPackage wight27.9 kgPackage wightCharcoal Dimming Range 104 (HDR10 Plus, Magnitye), Hybrid UogACGame mode-Remate control included-Feldest function-Package wight2.9 kgVido formats supportedAV1, L264, HEVC, MPEG2, MPEG4, Marca Distored Control included-Nise reduction*- <td>Network</td> <td></td> <td></td> <td></td>	Network			
Wi-Fi standards202 11/n, Wi-Fi 5 (802.11a/) 6 (802.11a/)Width (with stand)1229 mmBluetooth*>>>	Wi-Fi *	<	S/PDIF output	l
6 (602.11ax)Wind Wint Stand)22.9 mmBluetooth*-Height (with stand)788 mmBluetooth version5.3Weight (with stand)22.9 kgEthernet LAN*-Wind (without stand)22.9 kgWeb browser-Depth (without stand)22.9 kgBrowser supportedVanDepth (without stand)22.9 kgBrowser supportedOdinDepth (without stand)22.9 kgBrowser supported-Depth (without stand)14 mmBrowser supportedOdinHeight (without stand)17.9 kgProduct colour *Black, GreyStand wideh26 cmColour nameConcroal greyPackaging data40 cmVESA mounting interface400 x 400 mmQuick start guidePanel mounting interface400 x 400 mmQuick start guideStand topicCenter standPackage depth184 mmStand topicBlack Arege topich27.9 kgParformanceDiply Vision, Dobly Vis			Weight & dimensions	
Bluetooth ***ion***Depth (with stand)290 mmBluetooth version5.3Height (with stand)2.29 kgBthemet LAN ***Weight (with stand)2.29 kgBthemet LAN ***Weight (without stand)1229 mmWeb browserPopth (without stand)7.14 mmBrowser supportedOdinHeight (without stand)7.14 mmDesign**Stand width3.73 kgProduct colour *Black, GregStand width40 cmColour nameCharceal gregStand width40 cmVESA mounting interface400 x 400 mmQuick start guide*Bousing material400 x 400 mmQuick start guide*Stand topourBlackPackage width134 mmStand topourBlackPackage width\$73 mmBreformance*Package wight\$73 kgPromine Range 10 (HDN10) HighPackage wight\$73 kgMigh Dynamic Range 10 (HDN10) HighPackage wight\$73 kgPromine Range 10 (HDN10) HighPackage wight\$73 kgPackage wight\$73 kgPackage wightGame mode**Alupsciele*Package wightAlupsciele*Package wightStand kupcoMight Dynamic Range 10 (HDN10) HighMight Dynamic Range 10 (HDN10) HighPackage wightStand kupco**Stand kupco*Marce Stand kupco*Stand kupco*Might Dyna	Wi-Fi standards		Width (with stand)	1229 mm
Bleetooth version 5,36 were subset of the service o	Bluetooth *	· · · ·	Depth (with stand)	290 mm
Ethernet LAN*✓Weight (with stand)22.9 kgWeight without stand)1229 mmWeb browser✓Midh (without stand)17 nrmBrowser supportedOdinHeight (without stand)7.14 mmBrowser supportedCharcoal greyStand width (stand)12.9 kgProduct colour - andCharcoal greyStand width (stand)6 cmColour nameCharcoal greyStand width (start guide40 cmVESA mounting interface400 x 400 mmQuick start guide-Panel mounting interfaceMuminum, Plastic, Stainless stelManual-Stand kolourBlackPackage width1484 mmStand colourBlackPackage depth1484 mmStand toolourBlackPackage weight27.9 kgPerformanceVerformanic Range 10 (HDR10) High Dynamic Range 10		-	Height (with stand)	
Web bowserYeaWidth (Without Stand)14 mmBrowser supportedOdinHeight (without stand)47 mmBrowser supportedOdinHeight (without stand)14 mmDesignWeight (without stand)12 kmProduct colour *Black, GreyStand depton40 cmColour nameOdor angreyStand depton40 cmVESA mounting interface400 x 400 mmQuick start guide40 cmNousing materialAuminum, Plastic, Stanless stelManual73 mmStand topicourBlackPackage wight73 mmPerformanceDibly Vision, Dolby Vision 10, High pynamic Range 104 (HDR10) High pynamic Range 10				
Bowser suported of of a constraint of the period (without stand) 74 mm (and the period (without stand) 74 mm		-		
DesignWeight (without stand)17.9 kgProduct colour *Black, GreyStand width26 cmColour nameCharcoal greyStand depth40 cmVESA mounting *Packaging dataPanel mounting interface400 x 400 mmQuick start guideHousing materialAluminium, Plastic, Stainless steelManualStand typeCenter standPackage width1484 mmStand colourBlackPackage depth173 mmPerformanceDolby Vision, Dolby Vision IQ, HighPackage depth857 mmHigh Dynamic Range 10 (HDR10) High Dynamic Range		-	• •	
Product colourBlack, Grey Charcoal greyStand width26 cmColour nameCharcoal greyStand depth40 cmVESA mounting *Packaging data///////////////////////////////		Guin	<b>2</b> ·	
Product coour *Back, GreyStand depth40 cmColour nameCharcoal greyPackaging data*VESA mounting *400 x 400 mmQuick start guide*Housing materialAluminium, Plastic, Stainless steelManual*Stand typeCenter standPackage width1484 mmStand colourDetter standPackage depth173 mmPerformancePackage depth857 mG*Ligh Dynamic Range 10 (HDR10), High Dynamic Ran	-			
Colour hameCharcoal greyVESA mounting interface400 x 400 mmQuick start guideHousing materialAluminum, Plastic, Stainless steelManualStand typeCenter standPackage width1484 mmStand toolourBlackPackage depth173 mmPerformanceDolby Vision, Dolby Vision (DHDR10), High Dynamic Range 10 (HDR10 Plus), High Dynamic Range (HDR)Al UpscaleIIIIIAlubricalIIIIINoise reduction *IIIIINoise reduction *IIIIIProcessor cores4IIIIAlub FreeSyncIIIIIAlub FreeSync TypeFreeSync Premium Pro Game BarII </td <td></td> <td></td> <td></td> <td></td>				
Panel mounting interface400 x 400 mmQuick start guide				
Housing materialAluminium, Plastic, Stainless steelManualAnnualStand colourCenter standPackage width1484 mmStand colourBlackPackage depth173 mmPerformancePackage height857 mmParformanceDolby Vision (O, High Dynamic Range 10 (HDR10) Plus, High Dynamic Range 10 + (HDR10 Plus, daptive), High Dynamic Range 10 + Adaptive Gamma (HLG)Ackage typeBoxGame mode<	5	-		
Stand typeCenter standPackage with Package depth1484 mmStand colourBlackPackage depth173 mmPerformancePackage depth857 mmHigh Dynamic Range 10 U(DR10), High Dynamic Range 10 U(DR10 Plus), High Dynamic Range 10 U(DR10 Plus), SHVC, VP9Remote control included Remote control includedACAl UpscaleAV1, H.264, HEVC, MPEG2, MPEG4, SHVC, VP9Remote control typeREF6G66H(Pan-EU) ERF6H6H0LV); ERF6H6H(USaia)Al UpscaleIcacla DimmingIcacla DimmingIcacla Dimming2 year(Icacla DimmingNoise reduction *Icacla DimmingVarranty period2 year(Icacla DimmingSupported *Icacla DimmingVarranty period2 year(Icacla DimmingProcessor cores4Icacla DimmingIcacla DimmingAMD FreeSyncFreeSync Premium ProIcacla DimmingIcacla DimmingAmD FreeSync typeIcacla DimmingIcacla Dimm	5		Quick start guide	<ul> <li>Image: A start of the start of</li></ul>
Stand colourBlackPackage depth1400 mmPerformancePackage depth35 mmPerformancePackage depth35 mmHigh Dynamic Range 10 (HDR10) High Dynamic Range 10 (HDR10) Plus, High Dynamic Range 10 (HDR10) High Dynamic Range 10 (HDR10) ShVC, VP9Package top control top Plus Remote control top Plus Remote control typeSRF666H(Pan-EU) ERF6H6H(Russia)Al UpscaleCher FeaturesNoise reduction * </td <td>-</td> <td></td> <td>Manual</td> <td>×</td>	-		Manual	×
Package apptn173 mmPerformancePackage apptn173 mmPerformancePackage apptn857 mmHigh Dynamic Range 10 (HDR10), High Dynamic Range 10 + (HDR10 Plus), High Dynamic Range 10 + (HDR10 Plus, Gamma (HLG)Package typeBoxGame modePackage typeBoxGame modeRemote control includedI teletext function </td <td></td> <td></td> <td></td> <td></td>				
High Dynamic Range (HDR)Dolby Vision, Dolby Vision (O, High Dynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus, High Dynamic Range 10+ (HDR10 Plus, High Dynamic Range 10+ Adaptive), Hybrid Log Gamma (HLG)Package uspet Package typeBoxGame mode <td< td=""><td></td><td>Didek</td><td>5 .</td><td></td></td<>		Didek	5 .	
High Dynamic Range (HDR) technologyDynamic Range 10 (HDR10, High Dynamic Range 10 (HDR10, Plus), High Dynamic Range (HDR)Packaging content Desktop standBoxAl Upscale	Performance			
High Dynamic Range (HDR) technologyDynamic Range 10+ (HDR10 Plus), High Dynamic Range 10+ Adaptive, (HDR10 Plus Adaptive), Hybrid Log Gamma (HLG)Packaging contentGame modeGame modeCables includedTeletext functionVideo formats supportedAV1, H.264, HEVC, MPEG2, MPEG4, SHVC, VP9Remote control includedAl UpscaleBacklight dimming technologyLocal DimmingFavorite list TV programs4Noise reduction *High Dynamic Range (HDR) supported *Processor cores4AMD FreeSyncAMD FreeSync typeFreeSync Premium Pro Auto Low Latency Mode (ALLM), Game BarGame featuresAuto Low Latency Mode (ALLM), Game BarPlug and Play			5 5	5
HDR10 Plus Adaptive), Hybrid Log- Gamma (HLG)Desktop stand✓Game mode✓Cables includedACTeletext function✓Remote control included✓Video formats supportedAV1, H.264, HEVC, MPEG2, MPEG4, SHVC, VP9Remote control typeERF6G66H(Pan-EU) ERF6H66H(UK) ERF6I66H(Russia)Al Upscale✓Other features✓Backlight dimming technologyLocal DimmingFavorite list TV programs4Noise reduction *✓Warranty period2 year(s)supported *✓✓Warranty period2 year(s)Supported *✓✓AMD FreeSync✓✓AMD FreeSync typeFreeSync Premium Pro Game Bar✓✓Game featuresAuto Low Latency Mode (ALLM), Game Bar✓✓Plug and Play✓✓✓✓	High Dynamic Range (HDR)	Dynamic Range 10+ (HDR10 Plus), High Dynamic Range 10+ Adaptive (HDR10 Plus Adaptive), Hybrid Log-	5 ,	
Gamma (HLG)Desktop standPecktop standPecktop standGamma (HLG)Cables includedACTeletext functionImage: Control includedRemote control includedImage: Control StandVideo formats supportedAV1, H.264, HEVC, MPEG2, MPEG4, MEG2, MPEG4, MEVC, VP9Remote control typeERF6G66H(Pan-EU) ERF6H66H(UK)Al UpscaleImage: Control StandColor StandERF6G66H(Russia)Al UpscaleImage: Control StandFavorite list TV programs4Noise reduction *Image: Control StandImage: Control StandImage: Control StandNoise reduction *Image: Control StandImage: Control StandImage: Control StandSupported *Image: Control StandImage: Control StandImage: Control StandNoise reduction *Image: Control StandImage: Control StandImage: Control StandNoise reduction *Image: Control StandImage: Control StandImage: Control StandSupported *Image: Control StandImage: Control StandImage: Control StandND FreeSync CoresImage: Control StandImage: Control StandImage: Control StandAMD FreeSync TypeImage: Control StandImage: Control StandImage: Control StandGame featuresImage: Control StandImage: Control StandImage: Control StandGame featuresImage: Control StandImage: Control StandImage: Control StandJug and PlayImage: Control StandImage: Control StandImage: Control StandStand Stand Stand Stand Stand Stand Stand Stand Stand	technology		Packaging content	
Game modeImage: Constraint of the second of the			Desktop stand	×
Teletext functionImage: Constraint of the second of the secon	Game mode	1	Cables included	
Video formats supportedAV1, H.264, HEVC, MPEG2, MPEG2, MPEG4, SHVC, VP9Remote control typeERF6166H(Russia)Al UpscaleBacklight dimming technologyLocal DimmingFavorite list TV programs4Noise reduction *Local DimmingLight sensor4High Dynamic Range (HDR) supported *Warranty period2 year(s)Processor cores4Light channel Number (LCN)AMD FreeSync typeFreeSync Premium ProGame featuresAuto Low Latency Mode (ALLM), Game BarLight channel Number (LCN)Plug and Play </td <td>Teletext function</td> <td>1</td> <td>Remote control included</td> <td></td>	Teletext function	1	Remote control included	
All opscaleVAll opscaleBacklight dimming technologyLocal DimmingFavorite list TV programs4Noise reduction *✓Light sensor✓High Dynamic Range (HDR) supported *✓Warranty period2 year(s)Processor cores4Logical Channel Number (LCN)✓AMD FreeSync✓✓✓AMD FreeSync typeFreeSync Premium Pro✓✓Game featuresAuto Low Latency Mode (ALLM), Game Bar✓✓Plug and Play✓✓✓	Video formats supported		Remote control type	. , ,
Noise reduction *Light sensorHigh Dynamic Range (HDR) supported *Warranty period2 year(s) Logical Channel Number (LCN)Processor cores4AMD FreeSyncAMD FreeSync typeFreeSync Premium Pro Game featuresFreeSync Premium ProGame featuresAuto Low Latency Mode (ALLM), Game BarPlug and Play	Al Upscale	1	Other features	
High Dynamic Range (HDR)     Varranty period     2 year(s)       supported *     Logical Channel Number (LCN)     Image: Comparison of the second secon	Backlight dimming technology	Local Dimming	Favorite list TV programs	4
supported *   Processor cores   AMD FreeSync   AMD FreeSync type   FreeSync Premium Pro   Game features   Plug and Play	Noise reduction *	<ul> <li>Image: A start of the start of</li></ul>	Light sensor	✓
supported *     Logical Channel Number (LCN)       Processor cores     4       AMD FreeSync        AMD FreeSync type     FreeSync Premium Pro       Game features     Auto Low Latency Mode (ALLM), Game Bar       Plug and Play			Warranty period	2 year(s)
AMD FreeSync✓AMD FreeSync typeFreeSync Premium ProGame featuresAuto Low Latency Mode (ALLM), Game BarPlug and Play✓		-	Logical Channel Number (LCN)	✓
AMD FreeSync type     FreeSync Premium Pro       Game features     Auto Low Latency Mode (ALLM), Game Bar       Plug and Play     ✓				
Game features     Auto Low Latency Mode (ALLM), Game Bar       Plug and Play     ✓	•	-		
Game Bar Plug and Play	AMD FreeSync type	•		
		Game Bar		
Parental control	5 ,			
	Parental control			



## 6942351419145

**Catalog Object Cloud** 



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.