Data sheet for household cooker hoods
In acc. with delegated regulation (EU) No. 65/2014 and regulation (EU) No. 66/2014

Miele				
Model name / identifier		DA 1867		
Annual Energy Consumption (AEC)				
(AEC _{rpm})	kWh/year	101,3		
Energy efficiency class		С		
Energy efficiency index (EEI) (EEI _{pm})		76,7		
Fluid Dynamic Efficiency (FDE) (FDE _{rom})		18,3		
Fluid Dynamic Efficiency class		, .		
A (most efficient) to G (least efficient)		С		
Lighting Efficiency (LE) (LE _{rom})	lx/W	95,4		
Lighting Efficiency class				
A (most efficient) to G (least efficient)		Α		
Grease Filtering Efficiency	%	85,1		
Grease Filtering Efficiency class				
A (most efficient) to G (least efficient)		В		
Airflow at best efficiency point	m³/h	398,0		
Air flow (min. speed)	m³/h	320		
Air flow (max. speed)	m³/h	610		
Air flow (intensive or boost setting)	m³/h	690		
Max. air flow (Q) (Q _{max})	m³/h	690		
Air pressure at best efficiency point	Pa	347		
Airborne acoustical A-weighted sound power emissi	ons			
(min. speed)	dB	52		
Airborne acoustical A-weighted sound power emissi				
(max. speed)	dB	67		
Airborne acoustical A-weighted sound power emissi		20		
(intensive or boost setting)	dB	69		
Electrical power input at best efficiency point	W	210,0		
Power consumption in off mode (P _o)	W	0.40		
Power consumption in standby mode (P _S)	W	0,49		
Nominal power of lighting system	= =	2,2		
Average illumination of the lighting system on the co surface	lx	210		
Time increase factor	ı.A	1,3		