		15.08.24	
		fication sheet	
Brand	d an	d Model Brand	Stoves
\pm		Sub-brand Model	Richmond ST RCA RICH 100DF
Sumn	nary	Product Type	100cm Dual Fuel Range Cooker
		Short Product Description	100cm dual fuel range cooker with a 7 burner gas hob, conventional oven & grill, multifunction main oven with TrueTemp™ digital thermostat, fanned second oven and dedicated slow cook oven
			A contemporary take on a classic range cooker, the Richmond combines traditional reliability with a host of innovative features to help you get the best results.
			We've packed four ovens, seven burners and 196 litres of cooking capacity into just 100cm of kitchen space. This includes a dedicated Slow Cook oven, conventional second oven, Equilibow fanned oven an the main multifunctional oven with 13 different settings such as such as Rapid Pre-Heat and AHFY. (Use this speedy setting and the
		Long Product description	included tray for unbeatably crispy results, with all the space of your standard oven.) There's just as much choice on the hob as there is in the ovens too. The seven burners range in size to suit a variety of pans – with a 4kV
			PowerWok** option designed for woks and larger pans. Plus, the TrueTerm digital thermostat puts you in complete control by clearly displaying your exact chosen temperature, and allowing adjustments in 5 degree increments. That's not all either - Stoves range cookers are packed with many more features to open up new culinary opportunities.
			All this possibility comes with no sacrifice to style. Classic and contemporary combine in a sleek design with a timeless finish bringing the traditional range cooker into the 21st century.
		Range Overview	Our modern take on a traditional looking range cooker, the Richmond collection has been designed to fit any style of kitchen
Key	Pr	oduct Benefits	0.10.18.19.19.19.19.19
+		Feature 1	Quad Oven™ With 196L Total Cooking Capacity 7 Burner gas hob with 4kW PowerWok™
7		Feature 3 Feature 4	TrueTemp digital thermostat 13 Setting multifunction main oven with rapid pre-heat & AirFry
#		Feature 5	AirFry function & Trav Make cleaning easier with Easy-clean enamel and SteamCleanse the
_		Feature 6	natural power of steam
-		Feature 7 Feature 8	Conventional oven and Maxi-Grill™ with telescopic sliders Dedicated slow cook oven
\top		Feature 9	Pro-Trac™ double-extension telescopic sliders
\pm		Feature 10	Maxi-Clock™ LED touch control programmer
		Product Type	Range Cooker
		Integrated or freestanding Fuel	Freestanding Dual Fuel Range Cooker
		Number of ovens Warranty period	4 3 Years Parts & Labour
Hob la	ayo	ut	
		(diagram to be assigned)	2 4 7 5 1 3 6
Cavity	y la	(diagram to be assigned)	1 3 2 4
Hob			
_		Hob summary	7 Gas Burners
		No of burners/elements Hotplate type Controls position	Pressed Metal
G		Controls position hob Burner 1 (kW)	Fascia Large (3.0)
7		Burner 2 (kW) Burner 3 (kW)	Medium (2.0) Large (3.0)
		Burner 4 (kW) Burner 5 (kW)	Medium (2.0) Wok (4.0)
		Burner 6 (kW) Burner 7 (kW)	Small (1.0) Medium (2.0)
-		Burner 8 (kW) Enamel pan supports	
\mp		Cast iron pan supports Enamel burner caps	Yes
		Matte burner caps Flat burner caps	Yes Yes
		Profiled burner caps Push button ignition (battery)	
-		Push button ignition (mains) Automatic ignition	Yes
-		Thermocouples (Flame safety device) Control type (rotary or touch)	Yes Rotary
\rightarrow		Lid / Type	
		Lid Handle / Front Trim	
		Lid Handle / Front Trim Lid auto shut off Lid soft close	
Cavity		Lid Handle / Front Trim Lid auto shu off Lid soft close Position	Top Left
Cavity		Lid Handle / Front Trim Lid auto shu off Lid soft close Position Main/second/third/fourth oven Function	Third Conventional oven and grill
Cavity		Lid Handle / Front Trim Lid auto shu off Lid soft close Position Main/second/third/fourth oven Function Fuel No. of functions	Third Conventional oven and grill Electric 2
	Elect	Lid Handle / Front Trim Lid auto shu off Lid soft close Position Main / Second/third / fourth oven Function Fuel No. of functions Programmable oven ric oven / grill	Third Conventional oven and grill Electric
	Elect	Lid Handle / Front Trim Lid auto shu off Lid soft close Position Main / Second/third / fourth oven Function Fuel No. of functions Programmable oven ric oven / grill Floed rate delectric grill Floed rate deal circuit electric grill	Third Conventional oven and grill Electric 2
	Elect	Lid Handle / Front Trim Lid auto shu off Lid soft close Position Main / Second/third / fourth oven Function Fuel No. of functions Programmable oven ric oven / grill Floed rate electric grill Variable rate before carell Variable rate before carell Variable rate electric carell Variable rate death circuit electric grill	Third Conventional oven and grill Electric 2 No No Yes
E	Elect	Lid Handle / Front Trim Lid auto shu off Lid soft close Position Main/second/third/fourth oven Function Functi	Third Conventional oven and grill Electric 2 No
E	Elect	Lid Handle / Front Trim Lid auto shu off Lid soft close Position Main/second/third/fourth oven Function Functi	Third Convention over and grill Electric 2 No Yes Yes A 42
E	Elect	Lid Handle / Front Trim Lid auto shur off Lid soft close Position Pesition Main second/third/fourth oven Fruction Fuel No. of functions Programmable oven act oven full Frond rate deal circuit electric qrill Frand rate electric crill Variable rate deals circuit electric qrill Conventional electric oven Tenegry rating V Returns Actual coacid' (litres) Usable Capactry (litres) Usable Capactry (litres) Usable Capactry (litres) Usable Capactry (litres)	Third Conventional oven and grill Electric 2 No No Yes Yes Yes A A 42 33 183x423x430
E	Elect	Lid Handle / Front Trim Lid auto shut offf Lid soft close Position Main/second/third/fourth oven Function Function Function Function Function Function Food No. of functions Programmable oven ric oven/grilli Fraed rate deciric crill Variable rate electric crill Variable rate deal circuit electric crill Variable rate electric crill Variable rate deal circuit electric crill Variable	Third Conventional oven and grill Electric 2 No Yes Yes A A 42 33 183x423x430 Conv Oven (1.5) Grill (1.6-2.5)
E	Elect	Lid Handle / Front Trim Lid auto shut off Lid soft close Position Main/second/third/fourth oven Function Function Function Function Ford Functions Function Fu	Third Conventional oven and grill Electric 2 No Yes Yes Yes A 4 42 33 183x423x430 Conv Oven (1.5) Grill (1.6-2.5) 0.63 (Conventional) 0
E	Elect	Lid Handle / Front Trim Lid auto shut off Lid soft close Position Main/second/third/fourth oven Function Function Function Function Food and electric criti Food rate detertic criti Froed rate detertic criti Variable rate develor (front) Variable rate (front) Variable (front) Va	Third Conventional oven and grill Electric 2 No Yes Yes Yes A 42 333 183x423x430 Conv Oven (1.5) Grill (1.6-2.5) 0.63 (Conventional) 0 0 0 0 0 0
E	Elect	Lid Handle / Front Trim Lid auto shut off Lid soft close Position Main/second/third/fourth oven Function Function Function Function Ford and electric crill Ford rate deterit crill Variable rate develor (frem) Lisable capachy (fires) Lisable capachy (fires) Lisable capachy (fires) Lisable capachy (see 230) Fenery consumption (Kwh) No of shelves No of shelves Fixed Telescopic shelves - Fixed	Third Convention oven and grill Convention oven and grill Electric 2 No Yes Yes Yes A 42 33 3183x423x430 Conv Oven (1.5) Grill (1.6-2.5) 0.63 (Conventional) 0 0 0 0 3 0 0 0 3
E	Cavi	Lid Handle / Front Trim Lid auto shut off Lid soft close Position Main/second/third/fourth oven Function Main/second/third/fourth oven Function Function Poor ammable oven ric oven/grill Froed rate deterit; crill Variable rate destric crill Debet copocity (three) Lobable Copoly (thre	Third Conventional over and crill Electric 2 No No Yes Yes A 42 33 183x423x430 Conventional) 0 0 0 0 3 422 x 365 Halooen
C	Cavi	Lid Handle / Front Trim Lid auto shut off Lid soft close Position Main/second/third/fourth oven Function Function Function Function For June 1 No. of functions Programmable oven ric oven/grill Fixed rate deteric grill Variable rate leafertic grill Subside Capachy (fitnes) Usable capachy (fitnes)	Third Conventional over and crill Electric 2 No No Yes Yes A 42 33 183x423x430 Conventional 0 0 0 0 3 42 x 35 3 3 3 422 x 35 Halooen Easy dean enamel / Black
C	Cavi	Lid Handle / Front Trim Lid auto shut off Lid soft close Position Main/second/third/fourth oven Function Function Function Function Function Ford rate dectric grill Froed rate dectric grill Froed rate dectric grill Variable rate bettic grill Variable rate dual circuit electric grill Dorevet (Withen) Bable grill Froed rate from the grill	Third Conventional over and crill Electric 2 No No Yes Yes A 42 33 183x423x430 Conventional) 0 0 0 0 3 422 x 365 Halooen
C	Cavi	Lid Handle / Front Trim Lid auto shut off Lid soft close Position Main/second/third/fourth oven Function Function Function Function Fuel No. of functions Programmable oven ric oven/grilli Froed rate dectric grill Variable rate destric grill Variable rate dust grill	Third Conventional over and grill Electric 2 No No Yes Yes Yes A A 42 33 1838422x430 Conv Oven (1.5) Grill (1.6-2.5) 0.63 (Conventional) 0 3 42 42 33 422 355 4880con Easy deen earner / Black
C	Cavi	Lid Handle / Front Trim Lid auto shut off Lid soft close Position Main/second/third/fourth oven Function Funct	Third Conventional owen and grill Electric 2 2 No No Yes Yes Yes A A 42 33 183x422x430 Corv Oven (1.5) Grill (1.6-2.5) 0.63 (Conventional) 0 3 0 0 3 42x 355 Halooen Easy dean ename / Black

Control Section One Section Person One Section One Se		Inner glass Inner Glass Removeable	Yes Yes
Control of the Cont		Inner Glass Removeable Cladding type	Yes
Server streets below to be a server street below to be a s		Cladding style / Colour	
Design		Screened branding	
Settlement		Badge brand	Stoves
Security of the control of the contr	avity 2		
Peach Company Peach Compan		Position	Bottom Left
The desiration of the production of the producti		Main/second/third/fourth oven	
Process and sections and a common section of the common section of		Fuel	Electric
The state and and cord and cor		No. of functions Programmable oven	
Personal Control Con	Elec	tric oven/grill	
Posted state of control entered (management)			
Controlled electric coen Order Orde		Variable rate electric grill	
Section of the control of the contro		Conventional electric oven	
Control Control Provided Provided Control Control Control Provided Control Contr		Fanned electric oven Defrost	Yes
Total Action of the Committee of the Com		Defrost/Dough Proving (Combined Function)	
Base base with from Old world, file. Sear, code. Sear		Top heat only	
Geriate from Control C			
Sense code		Grill with fan	
Figure Section Commission and includes to the commission and i			Yes
See		Pizza function	
December 1			Yes
Medical Control		Dough/Bread proving	Yes
Document of the control of the contr		Meat probe	
Proceedings A Control			
Temporal pages of the page of		Pyrolytic function	
Control Action (Control Control Cont		Energy rating	A
Description		ty features	
Isolate Carly demonstore (Mexich mm) 350x23x13 Open 27	_	Usable capacity (litres)	61L
Section Comments Control	-	Usable Cavity dimensions (HxWxD mm)	
To deliber and an according to the control of the c		Energy consumption (Kwh)	0.73
Telescope debides - Fined N/A Telescope debided debided N/A Telescope de		No of shelves	
Teleposes chelors - Seminaria chilustelite 1		Telescopic shelves - Fixed	N/A
September Company Co	-	Telescopic shelves - Removable/adjustable	
Trons Early Color (1997) Door from (1997) Door from (1997) Door openion (1997) Door openion (1997) From Color openion (1997)		Usable area of shelves (WxD mm)	421 x 365
December MetalChain Metal	╧	Interior finish / colour	Yes, naioqen G9 Easy dean enamel / Black
Done coepins Left Sée Desiron Left Sée Desiron Left Sée Desiron Side coepins Left Sée Desiron	Door		
Mines base Sele Openina		Door opening	Left Side Opening
Venical sundown Venical Section Venical Se	-	Hinge type	Side Opening
Door closer Description colour Description co		Viewing window	Yes
Header Stefe J. Colour Door Anter Gass Bemoveable I Tree Stefe Bemoveable I Tr		Door alazina number(inc. outer if applicable) Door colour	
Increase allows Increase allow		Handle style / Colour	Metal, chrome
Cladifies pated Cladifies pated Seremed Jameline Main Leconomy Main Main Main Main Main Main Main Main		Inner glass	Yes x 1
Cladidric schel, if Colour Doot Debts States State Park State Park P	_	Inner Glass Removeable Cladding type	Yes
Secreted Senderin Sender brand Sender		Cladding style / Colour	
Bedder branch Position Position Too Rohe Main-recordifficatift own Main-recordifficatift own Function Recording R			
Position Main record/third/flourin oven Main record/third/flourin oven Main record/third/flourin oven Main record rec			
Main second/thist/flourth onen Main Ma	avity 3		
Main second/thed/flourth oven Main Mai	-	Doubles.	Top Nobb
Final franction Multifunction Over Biscrit Fact Fact Biscrit Biscrit Fact rate electric cert Veri Conventional electric over Yes Fact rate electric cert Yes Fact rate F			Main
Receive covering 13 Proceedings 13 Procedings		Function	Multifunction Oven
Fixed rate descritic grill Yes Conventional electric oven		No. of functions	13
Fixed rate electric criff Fixed rate electric criff Fixed rate electric criff Variable: rate ele	Elect	Programmable oven tric oven/grill	Yes
Variable rate electric cell Variable rate electric cell Variable rate dual crorus electric cell Variable rate of the Control C		Fixed rate electric grill	
Versible rate deal cruzi electric orall Conventional electric oven Fanned electric oven Fann			
Famed electric oven Defrost Devolva (Combined Function) Defrost Devolva (Combined Function) Defrost Devolva (Combined Function) Devolva (Combi			
Defrost/Deach Provision (Combined Function) Intensive basic (top, bottom & fam) Yes Top heat only Yes See heat only Sees heat only Yes Sees heat only Yes Sees heat only Yes Sees heat only Sees heat on		Fanned electric oven	
Intereshe baske (top, bottom & far) Top beat only Sase heat conly Sase heat conly Sase heat conly Sase heat conly Sase heat with fan Ves Under conly Sase heat with fan Ves Save cook Fizza function Yes Save cook Fizza function Yes Aufrir function Thermostal Setting Yes Aufrir function Thermostal Setting Thermostal Setting Yes Save cook Fizza function Thermostal Setting Yes Save heat order Save heat proving Save heat proving Save heat proving Save heat Save he			Vac
Base heat conly Base heat conly Base heat conly Geril with fam Yes Geril with fam Yes Son cook Thermosal Setting Alfriy hundrin Alfriy Alfriy hundrin Alfriy Alfriy hundrin Alfriy Alfriy hundrin Alfriy A		Defrost/Dough Proving (Combined Function)	
Bisse heat with fan		Intensive bake (top, bottom & fan)	Yes
Unit only Slow cook Pizza function Nees Anfr function Pizza function Nees Anfr function Pizza function Pizza function Doubt/Dredo growing Pizza function Piz		Intensive bake (top, bottom & fan) Top heat only	Yes
Pizza function Alif Pizzution Kees warministes warm function Doubtyl Pizzution Fee setting Pie setting Pie setting Pie setting Meta trobe Rapid heaft Datable Thermostat Datable Thermostat Datable Thermostat Piese of the setting Pieses of the		Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan	Yes Yes Yes
Alfrir Function Keep warmfunction Dought/Bread proving Pie setting Meat crobe Rapid host Prest cover asstrance Rapid host Prest cover asstrance Prest cover asstrance Actual capacity (fitres) Usable capacity (fitres) Oz 2 (Fanned) () 0.33 (Conventional) Prest cover asstrance Frest cover asstrance Actual capacity (fitres) Usable capacity (fitres) Interest consistence - France Telescopic shakes - France No of shelf positions X 1 Telescopic shakes - France Telescopic shakes - France Telescopic shakes - France No of shelf positions X 2 Usable area of shakes (No Drum) Over light / Type Usable capacity (fitres) Door over light / Type Prest of the fitte over light over		Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Light only	Yes
Dough/Bread proving Pie setting Mest probe Rapid heat Proble (function Distal Thermostat Press (function Press oven setting Press (soven setting Press (function Press (function Press (function) Press (funct		Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Light only Slow cook	Yes Yes Yes Yes Yes Thermostat Setting
Pies setting Meat probe Rapid heat Yes - Automatic based on function Rapid heat Yes - Automatic based on function Press down setting Yes Press down setting Yes Press down setting Yes Press down setting A Control of the Press of the Pre		Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Luiht only Slow cook Pizza function Alfry Function	Yes
Rapid heat Yes - Automatic based on function Pigs Provided function Processing Provided function Processing Provided function Processing Provided function Processing		Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Lleht only Slow cook Puzza function AirFn / Function Keen warmfolste warm function	Yes
Dialat Thermostat		Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Lleyth only Slow cook Puzza function Aliffo, Punction Aliffo, Punction Dought/Bread proving Pie setting	Yes
Pre-set oven setting Energy rating A A Cavity (features Actual capacity (fitres) Usable capacity (fitres) Osa (fitted) Power (kW) @ 230V		Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Lleht only Slow cook Puzza function AirFn Punction AirFn Punction Dought/Bread proving Pies setting Meat probe Ragid heat	Yes Yes Yes Yes Yes Yes Yes Yes Thermostat Setting Yes Yes Thermostat Settinio
Actual capacity (fitres)		Intensive bake (top, bottom & fan) Top heat only Base heat only Face of the fan	Yes Yes Yes Yes Yes Yes Yes Yes Thermostat Setting Yes Yes Thermostat Settinio
Actual capacity (litres) Total Usable Capacity (litres) Got Usable Capacity (litres)		Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Light only Slow cook Perza function Alfrir Fanction Keen warmfolde warm function Keen warmfolde warm function Fan setting	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Thermostal Settinio Yes - Automatic based on function Yes - Yes Yes Yes Yes Yes
Usable Cark's dimensions (HAWAD mm) 340A423413 Power (KW) @ 230V Oven (3.2) Energy consumption (KWh) 0.72 (Fanned) (0.83 (Conventional) No of she'ves 4	Cavi	Intensive bake (top, bottom & fain) Top heat only Base heat only Base heat only Base heat with fain Grill with fain Leith only Slow cook Puzza function Aliffn Function Keen warm/olate warm function Dough/Perad proving Pie setting Meat probe Rapid heat Digital Thermostat Digital Thermostat Digital Thermostat Persolvic function Pre-set oven setting Persolvic function Pre-set oven setting	Yes Yes Yes Yes Yes Yes Yes Yes Thermostat Setting Yes Thermostat Settina Yes Atthematic based on function Yes Yes Atthematic based on function Yes A
Power (KWY) @ 230V Oven (3.2)	Cavi	Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function Aliffn, Function Aliffn, Function Dought Pierad proving Pier setting Meat probe Ragid heat Daiglat Thermostat Daiglat Thermostat Denglat Gruncion Pier-set cewn setting Fierry rating Fierry rating Struction Piersey routing Fierry rating Struction Piersey routing Struction Piersey routing Struction Piersey routing Struction Struction Piersey routing Struction Structi	Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Yes Thermostal Settino Yes Automatic based on function Yes Yes Area A 70L
No of shelves No of shelves - Flood Telescopic shelves - Flood Telescopic shelves - Flood No of functions Programmable oven No of functions No of functions Programmable oven No of functions No of functions No of functions Programmable oven No of functions No of functi	Cavi	Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Light only Slow cook Pizza function AirFn Function AirFn Function Dought Pierad proving Pie setting Meat probe Ragid heat Daiglat Thermostat Daiglat Thermostat Dergo version on Pre-set oven setting Ferey rating Y features Actual capacity (litres) Usable capacity (litres) Usable Cayaty deminisors (HWWXD mm)	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostat Setting Yes Yes A 70L 60L
No of shelf positions Telescopic shelves - Flowed MAA No of telescopic fishing positions Usable area of shelves (WAD mm) 421 x 365 Uven light / Type Festions Doen to the MAA Telescopic fishing positions Uven light / Type Telescopic fishing positions Telescopic fishing fishi	Cavi	Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Light only Slow cook Perza function Alfris Fanction Keen warmfolste warm function Date et fance Date et fance Based heat Date et fance Based heat Date et fance Based heat Datial Thermostat Perosit function Per-set over setting Energy rating Y features Actual capacity (litres) Usable Capacity (litres) Usable Caydro (litres)	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostat Setting Yes Yes A 700. 600. 340x423x413 Oven (3.2)
Telescopic Seheves - Removable/adutable X1 No of telescopic fishing positions 5 Usable area of shelves (WAD mm) 421 x 365 Usable area of shelves (WAD mm) Yes, Isalogen G9 Interior finish / colour Easy dean ename! / Black	Cavi	Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat only Base heat with fan Grill with fan Luth only Slow cook Puzza function Alfrir Function Keen varmiofate warm function Dough Plead proving Per settron Dough Plead proving Proving Top to the plead proving Proving Top to the plead proving Proving Top to the plead proving Per set cover setting Energy rating Y features Actual capacity (fitres) Usable Capacity (stres) U	Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Thermostal Settina Yes Thermostal Settina Yes Thermostal Settina Output Thermostal Settina Thermostal Settina Thermostal Settina Yes Thermostal Settina Output Thermostal Settina Thermostal Settina Thermostal Settina Thermostal Settina Output Thermostal
Usable area of shelves (WAD mm) Oven link? Type Interior finish / colour Door Door Door Door Door type Metal/Gass Door opening Right Side Opening Hinge type Arest policy window Ves	Cavi	Intensive bake (top, bottom & fan) Top heat only Base heat Ba	Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Yes Thermostal Settino Yes - Automatic based on function Yes - Automatic based on function Yes A Totological Settino One (3.2) 0.72 (Fanned) (0.83 (Conventional) 4 5
Over light / Type Yes, Isalogen G9 Interior frish / colour Easy clean ename! / Black Door type	Cavi	Intensive bake (top, bottom & fan) Top heat only Base heat only Ba	Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Yes Thermostal Settino Yes - Automatic based on function Yes - Automatic based on function Yes A Totologic October Settino Oven (3.2) 0.72 (Fanned) (0.83 (Conventional) 4 5 N/A x1
Door type	Cavi	Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Light only Slow cook Puzza function Alfrir Function Kee varmioliste warm function Douchl'Read proving Per settron Meet proving Res estron R	Yes
Door openina Right Side Openina Right Side Openina Hinge type Side Openina Arrest position Yes Viewing window Yes Viewing window Yes Door rolazing number(inc, outer if applicable) 2	Cavi	Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Light only Slow cook Puzza function Airfur Function Airfur Function Airfur Function Airfur Function Dought Wester order Rever warmfolste warm function Dought Wester order Rever warmfolste warm function Dought Wester order Rever and Rever order Rever and Rever order Rever	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostat Setting Yes Yes Thermostat Settino Yes A Thermostat Settino Yes Thermostat Settino One Thermostat Settino Yes Thermostat Settino One Thermostat Settino Yes Thermostat Settino One Thermostat Se
Hinge type Arrest position Ves Ves Vewing window Ves Ves Vewing window Ves Door calcarin numberfine, outer if applicable) Door calcarin numberfine Door colour Door colour Handle skief / Colour Door colour Handle skief / Colour Metal, chrome		Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with In Lutrit only Slow cook Preza function Australia Cook Preza function Dought Pered price Meat proble Dought Pered price Dought Pered price Rept Heat Dought Pered price Bapti Heat Provide function Preset over setting Energy rating Ye features Setting Energy rating Ye features Subside capacity (litres) Usable Caybot (litres) Usable Area of Shelves (WAD mm) Oren light / Type Lutel Caybot (litres) Usable Area of Shelves (WAD mm) Oven light / Type	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Thermostal Settino Yes Antomatic based on function Yes Yes Yes A 701. 601. 340x427x413 Oven (1.2.) 0.72 (Fannes) / 0.83 (Conventional) 4 5 N/A X1 5 421 x 365 Yes, halogen G9 Easy clean enamel / Black
Arrest position Yes Viewindow Ves Door olazing number/inc, outer if applicable) Door colour Door olazing number/inc outer if applicable) Door olazing number inc, outer if applicable) Door outer dass Pess Ves V. Door olazing very dess Pess V. Inner class Pess V. Inner class Penoveable Yes V. Inner class Removeable Yes V. Claddina type Claddina Door features Pess Y 1 Text Table Titue Door features Door features Door features Door features Pess Y 1 Text Table Titue Door features Door features Door features Door features Pess Y 1 Text Table Titue Door features Door features Door features Door featu		Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with In Lutrit only Slow cook Preza function Preza function Intensive function Doouth Pread princip Resettion Meat probe Rapid heat Dapidal Thermostat Pyrolyic function Pre-set over setting Energy rating Y features J Features J Grand Company J Grand Compa	Yes
Door clairin number finc. outer if applicable) 2 Doer closur Doer colour Handle style / Colour Doer outer class Pyes x 1 Inner class Inner class Pyes x 1 I		Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Luft only Slow cook Priza function Auffra Fanction Keep Land Cook Market Panchon Meat probe Rea setting Present on Cook Reapid heat Deligible Intensist Problet (nuction Prese et one setting Energy rating Ye features Actual capacity (litres) Usable Capacity (litres) No of shelves No of shelves No of shelves - Fernovable/adjustable No of shelves - Removable/adjustable No felsecopic shelves - Removable/adjustable	Yes
Handle style / Colour Metal, Chrome		Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Licht only Slow cook Puzza function AirFir Function Keen warmioliste warm function Dought Pread proving Per setting Meet probe Read Heat Read Heat Read Heat Read Heat Douglat Internostat Pervicke function Presed core setting Presed core setting Ty features Actual capacity (litres) Lisable capacity (l	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Thermostal Settino Yes - Automatic based on function Yes Yes A 70 60 340x22x413 Oven (1.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A x1 5 10 421 x 365 Yes, halogen G9 Easy dean enamed / Black Metal/Gases Right Side Opening Side Opening Yes
Door outer glass Yes x 1 Inner Glass Removeable Yes x 1 Inner Glass Removeable Yes x 1 Inner Glass Removeable Yes Claddring type Claddring type Claddring type Claddring style / Colour Door Redores Serested branching Bable branch Bable branch Bable branch Belle branch Belle branch Fourth Function Bottom Right Pourth Function Slow Cook Oven Function Function Full Fined rate destric grill Fined rate destric grill Fined rate destric grill Fined rate destric grill Variable rate destric grill Variable rate destric grill Variable rate destric grill Variable rate destric grill Connectional electric grown Defrost Defrost Doubner Fouring Committee		Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Licht only Slow cook Puzza Function AirFir Function Keen warmiofalse warm function Dought Plead proving Per setting Meet probe Regid heat Regid heat Regid heat Regid heat Pervince function Dought Internostal Pervince function Regid heat Regid he	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Yes Thermostal Settino Yes - Automatic based on function Yes A Yes A 700. 600. 340x22x413 Oven (3.2) 0.72 (Fannest) (0.83 (Conventional) 4 5 5 N/A x1 5 421 x 365 Yes, haloone G9 Easy dean enamed / Black Metal/Gass Right Side Opening Yes
Inner Glass Removeable Cladding type Cladding type Cladding type Cladding Style / Colour Door features Screened branding Bagge brand avity 4 Position Bottom Right Main/second/third/fourth oven Fourth Function Stow Cook Oven Fuel Fuel Fuel Fuel Fuel Fuel Flectric own Foo functions Porgammable oven Flectric own Porgammable are I Programmable are I Progr		Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Light only Sew cook Perza function Alfris Fanction Keen varmiofate warm function Does ethics Does ethics Does ethics Base of the fanction Does ethics Based heat Dollaid Thermostat Peroving Based heat Dollaid Thermostat Peroving function Per-set over setting Energy rating Yy features Ye features Actual capacity (litres) Usable Capacity (litres) Usable Capacity (litres) Usable Cayacity (litres) Bashe Cayacity (litres) Forey consumption (Kinh) No of shelves No of shelves No of shelves No of shelves - Fernovable/adjustable No of shelves - Fernovable/adjustable No of tesescopic chelves - Fernovable/adjustable No of shelves - Fernovable/adjustable Door topen light / Type Interior finish / Colour Door copening Hinge type Arrest, position Viewing window Door calaging number(inc. outer if applicable) Door cobernovable/adjustable Door cobernovable/adjustab	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Yes Thermostal Settino Yes An A Total Yes A 700. 600. 340x423413 Over (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A 4 21 5 N/A 21 35 Yes, baloen G9 Eary clean ename! / Black Metal/Glass Right Side Openino Sid
Claddina Wel Colour Claddina Stel Colour Door features Screened brandina Badge brand Badge brand Position Badge brand Position Badge brand Bottom Right Fourth Function Fourth Function Slow Cook Oven Full Function Better: No. of functions 1 Programmable oven 1 Programmable oven No Slectic oven/grill Fixed rate deal creat electric grill Fixed rate dual creat electric grill Fixed rate dual creat electric grill Conventional electric program Variables and deal forcit electric grill Conventional electric oven Defrost Defrost Doubh Proving (Combined Function) Intensive bake (top, bottom & fan) Top heat only		Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Light only Sew cook Perza function Alfris Fanction Keen varmiofate warm function Does of the fance of the	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostat Setting Yes Yes Thermostat Settina Yes Yes Thermostat Settina Yes A Total For the settina Yes A 70L 60L 340x22x413 Over (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A x1 25 A21 x 365 Yes, haloen G9 Eavy clean erannel / Black Metal/Class Right Side Openina Side Openina Side Openina Yes Yes 2 Description colour Metal, chrome Yes x 1
Door features Screened branding Badge brand Position Badge brand Position Badge brand Fourth Function Slow Cook Oven Fuel Bectric No. of functions 1 Programable oven No Bectric Programable oven No Bectric oven/grill Fined rate deal creat grill Fined rate deal creat grill Fined rate deal creat grill Conventional electric orgil Conventional electric oven Berford Conventional electric oven Derford Derford Doubh Proving (Combined Function) Intensive bake (top, bottom & fan) Top lates only		Intensive bake (top, bottom & fan) Top heat only Base heat with fan Gell with fan Lutt only Sow code And Code on Code	Yes Yes Yes Yes Yes Yes Yes Yes Yes Themostat Setting Yes Yes Yes Themostat Setting Yes Yes Yes Yes Themostat Settino Themostat Settino Yes - Automatic based on function Yes Yes A 70: 60: 340x42x413 Occent(3.21) 0.72 (Fannet) 70.83 (Conventional) 1 5 N/A x1 5 N/A x1 5 421 x 365 Yes, hallooen 69 Easy clean ename! Allsck Metal/Glass Rotht Set Opening Yes Roth Set Opening Yes Roth Set Opening Yes Yes Description colour Metal, chrome Yes x 1
Badge brand Position Bottom Right Asin's second/third/fourth oven Function I Procedure No. of functions I Procedure No Bletchic oven/grill Fined rate electric curil Fined rate electric function Function Deformed electric oven Deformed electric oven Defrost Defrost Doubn'throwing (Combined Function) Intensive bake (top, bottom & fan) Top lest only		Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Lurit only Sew cook Prizza function Frenza function Frenza function Frenza function Grill with fan Lurit only Bernard function Dought Frend proving Pie setting Meat probe Rapid heat Dapidal Thermostat Pyrobyic function Pre-set over setting Energy rating Y features Lurit only Y features Actual capacity (litres) Lusable capacit	Yes Yes Yes Yes Yes Yes Yes Yes Yes Themostat Setting Yes Yes Yes Themostat Setting Yes Yes Yes Yes Themostat Settino Themostat Settino Yes - Automatic based on function Yes Yes A 70: 60: 340x42x413 Occent(3.21) 0.72 (Fannet) 70.83 (Conventional) 1 5 N/A x1 5 N/A x1 5 421 x 365 Yes, hallooen 69 Easy clean ename! Allsck Metal/Glass Rotht Set Opening Yes Roth Set Opening Yes Roth Set Opening Yes Yes Description colour Metal, chrome Yes x 1
avity 4 Position Bottom Right Main/second/third/fourth oven Fourth Main/second/third/fourth oven Fourth Function Stew Cook Oven Fixel Fixel Electric No. of functions 1 Programmable oven 1 Electric oven/grill Fixed rate electric crill Fixed rate electric crill Variable rate electric crill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Defrost Defrost/Dough Proving (Combined Function) Intensive bake (top., bottom & Fan) Top least only		Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Light only Sew cook Puzza function Airfra Function Kee overmited warm function Dought Plead proving Per Seattle Cook Repaid heat Dought Base over function Repaid heat Dought Great function Perset over setting Energy rating Y features Actual capacity (fitres) Usable Capacity (fitres) Usable Capacity (fitres) Usable Cayaty Great (fitres) Usable Cayaty Great (fitres) Usable Cayaty Great (fitres) No of shelves No of shelves - Fixed Telescopic shelves Tele	Yes Yes Yes Yes Yes Yes Yes Yes Yes Themostat Setting Yes Yes Yes Themostat Setting Yes Yes Yes Yes Themostat Settino Themostat Settino Yes - Automatic based on function Yes Yes A 70: 60: 340x42x413 Occent(3.21) 0.72 (Fannet) 70.83 (Conventional) 1 5 N/A x1 5 N/A x1 5 421 x 365 Yes, hallooen 69 Easy clean ename! Allock Metal/Glass Rotht Set Opening Yes Roth Set Opening Yes Description colour Metal, chrome Yes x 1
Position		Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Light only Sow cook Puzza function Alfrir Function Kee warministe warm function Dough Pierad proving Per setting Dough Pierad proving Per setting Dough Intensive to the setting Provide function Pre-set over setting Energy rating Y features Actual capacity (litres) Usable capacity (litres) Usable Cayott (litres) Usable Cayott (litres) Usable Cayott (litres) Usable Cayott (litres) No of she'ves No of she'ves - Fixed Telescopic shelves - Fixed Telescopic s	Yes Yes Yes Yes Yes Yes Yes Yes Yes Themostat Setting Yes Yes Yes Themostat Setting Yes Yes Yes Yes Themostat Settino Themostat Settino Yes - Automatic based on function Yes Yes A 70: 60: 340x42x413 Occent(3.21) 0.72 (Fannet) 70.83 (Conventional) 1 5 N/A x1 5 N/A x1 5 421 x 365 Yes, hallooen 69 Easy clean ename! Allock Metal/Glass Rotht Set Opening Yes Roth Set Opening Yes Description colour Metal, chrome Yes x 1
Main/second/third/fourth oven Function Fuel Fuel No. of functions Programmable oven Electric vory grill Fixed rate electric grill Fixed rate electric grill Variable rate electric grill Variable rate electric orill Variable rate electric orill Variable rate dual circuit electric grill Conventional electric oven Enned electric oven Defrost Defrost/Douch Proving (Combined Function) Intensive bake (top, bottom & fan) Top heat only	Door	Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Light only Sow cook Puzza function Alfrir Function Kee warministe warm function Dough Pierad proving Per setting Dough Pierad proving Per setting Dough Intensive to the setting Provide function Pre-set over setting Energy rating Y features Actual capacity (litres) Usable capacity (litres) Usable Cayott (litres) Usable Cayott (litres) Usable Cayott (litres) Usable Cayott (litres) No of she'ves No of she'ves - Fixed Telescopic shelves - Fixed Telescopic s	Yes
Main/second/third/fourth oven Function Fuel Fuel No. of functions Programmable oven Electric vory grill Fixed rate electric grill Fixed rate electric grill Variable rate electric grill Variable rate electric orill Variable rate electric orill Variable rate dual circuit electric grill Conventional electric oven Enned electric oven Defrost Defrost/Douch Proving (Combined Function) Intensive bake (top, bottom & fan) Top heat only	Door	Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Light only Sow cook Puzza function Alfrir Function Kee warministe warm function Dough Pierad proving Per setting Dough Pierad proving Per setting Dough Intensive to the setting Provide function Pre-set over setting Energy rating Y features Actual capacity (litres) Usable capacity (litres) Usable Cayott (litres) Usable Cayott (litres) Usable Cayott (litres) Usable Cayott (litres) No of she'ves No of she'ves - Fixed Telescopic shelves - Fixed Telescopic s	Yes
Fuel Betric No. of functions Programmable oven Betric very grill Fixed rate electric grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate electric corill Variable rate electric corill Conventional electric oven Fanned electric oven Defrost Defrost/Douch Proving (Combined Function) Intensive bake (top, bottom & fan) Top heat only	Door	Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Lutrit only Slow cook Preza function Auffra Fancion Auffra Fancion Dough Perea function Dough Perea function Dough Perea function Pies setting Pie	Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes A Thermostal Setting To Set
No. of functions 1 Programmable oven No Electric oven/grill Fixed rate electric qrill Fixed rate death cqrill Variable rate electric qrill Variable rate electric	Door	Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Lout only Andry Function Rear on Control Rear On Con	Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Yes Thermostal Settino Yes Thermostal Settino Yes Thermostal Settino Yes Thermostal Settino Yes A 70L 60L 340x422x413 Over (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A X1 5 421 x 356 Yes, halogen G9 Easy clean enamed / Black Metal/Glass Riont Side Opening Yes
Electric oven/grill	Door	Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Lutert only Slow cook Preza function Aufrica resolution Aufrica resolution Description Description Description Description Description Prese store Description Prese store Rapid heat Destal Thermostat PyroNict function Preset over setting Energy rating Y fentures Supply (fires) Usable Capacity (fires) No of she'd Cooking Description No of she'd Destitors Telescopic chiefe positions No of she'd Destitors Telescopic chiefe Preset Telescopic chiefe Preset Description	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostat Setting Yes Yes Thermostat Settino Yes-Automatic based on function Yes Yes Yes A 700 600 340x42x413 Over (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A X1 X1 X2 Set
Fixed rate electric qrill Fixed rate electric qrill Variable rate electric qrill Variable rate electric orill Variable rate dual circuit electric qrill Conventional electric oven Fanned electric oven Defrost Defrost/Douch Proving (Combined Function) Intensive bake (top, bottom & Fan) Top heat only	Door	Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Luft only Slow cook Proza function Auffr Fanction Keen vermiedale warm function Keen vermiedale warm function Keen vermiedale warm function Rea setting Fine se	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Yes Thermostal Settino Yes - Automatic based on function Yes Yes A 700 600 340x423413 Over (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A Xt xt 4 5 N/A With Xt xt 4 Settino Factor of the Automatic based on function Yes - Automatic based on function Yes A 700 600 340x423413 Over (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A Xt xt 5 N/A N/A Xt xt yes Nichologo Go Easy clean enamel / Black Metal/Class Right Side Opening Side Opening Yes Yes 2 Description colour Metal. chrome Yes x 1 Slow Cook Oven Blectric 1
Variable rate electric orill Variable rate dual circuit electric qrill Conventional electric oven Fanned electric oven Defrost Defrost/Douch Provina (Combined Function) Intensive bake (top, bottom & Fan) Top heat only	Door	Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Lort only Sow code And Andry Function Sow code Andry Function See warm/bate warm function Dougl/Bread proving Ple setting Meat probe Rapid heat Dougl/Bread proving Ples setting Meat probe Rapid heat Douglal Thermostat Purrobid function Pre-set over setting Energy rabing Yefatures Actual capacity (itnes) Lusable Capacity (itnes) Lusable Capacity (itnes) Lusable Capacity (itnes) Soushed Soushed Capacity (it	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Yes Thermostal Settino Yes - Automatic based on function Yes Yes A 700 600 340x423413 Over (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A Xt xt 4 5 N/A With Xt xt 4 Settino Factor of the Automatic based on function Yes - Automatic based on function Yes A 700 600 340x423413 Over (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A Xt xt 5 N/A N/A Xt xt yes Nichologo Go Easy clean enamel / Black Metal/Class Right Side Opening Side Opening Yes Yes 2 Description colour Metal. chrome Yes x 1 Not Cook Oven Bloctric Bottom Right Fourth Slow Cook Oven Bloctric 1
Variable rate dual crout dectric grill Conventional electric oven Fanned electric oven Defrost Defrost Defrost Doub Provina (Combined Function) Lintensive bake (top, bottom & fan) Top heat only	Door	Intensive bake (top, bottom & fan) Top heat only Base heat with fan Gell with fan Light fan Light fan Gell with	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Yes Thermostal Settino Yes - Automatic based on function Yes - A 70L 60L 340x423413 Overs (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A 11 12 5 N/A 12 13 421.3 55 Yes, Nationer G9 Eavy clean ename! / Black Metal/Class Right Side Opening Side Opening Yes Yes 2 Description colour Metal, chrome Yes x 1 Slow Cook Oven Electric 1
Fanned electric oven Defrost Defrost Defrost Defrost/Dough Proving (Combined Function) Intensive bake (top, bottom & fan) Top heat only	Door	Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Light only Face face only Face face only Face face only Face face only Fa	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Yes Thermostal Settino Yes - Automatic based on function Yes Yes A 700 600 340x423413 Over (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A Xt xt 4 5 N/A With Xt xt 4 Settino Factor of the Automatic based on function Yes - Automatic based on function Yes A 700 600 340x423413 Over (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A Xt xt 5 N/A N/A Xt xt yes Nichologo Go Easy clean enamel / Black Metal/Class Right Side Opening Side Opening Yes Yes 2 Description colour Metal. chrome Yes x 1 Not Cook Oven Bloctric Bottom Right Fourth Slow Cook Oven Bloctric 1
Defrost/Douch Provina (Combined Function) Intensive bake (top, bottom & fan) Top heat only	Door	Intensive bake (top, bottom & fan) Top heat only Base heat only Ba	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Yes Thermostal Settino Yes - Automatic based on function Yes Yes A 700 600 340x423413 Over (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A Xt xt 4 5 N/A With Xt xt 4 Settino Factor of the Automatic based on function Yes - Automatic based on function Yes A 700 600 340x423413 Over (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A Xt xt 5 N/A N/A Xt xt yes Nichologo Go Easy clean enamel / Black Metal/Class Right Side Opening Side Opening Yes Yes 2 Description colour Metal. chrome Yes x 1 Not Cook Oven Bloctric Bottom Right Fourth Slow Cook Oven Bloctric 1
Intensive bake (top, bottom & fan) Top heat only	Door	Intensive bake (top, bottom & fan) Top heat only Base heat only Ba	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Yes Thermostal Settino Yes - Automatic based on function Yes Yes A 700 600 340x423413 Over (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A Xt xt 4 5 N/A With Xt xt 4 Settino Factor of the Automatic based on function Yes - Automatic based on function Yes A 700 600 340x423413 Over (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A Xt xt 5 N/A N/A Xt xt yes Nichologo Go Easy clean enamel / Black Metal/Class Right Side Opening Side Opening Yes Yes 2 Description colour Metal. chrome Yes x 1 Not Cook Oven Bloctric Bottom Right Fourth Slow Cook Oven Bloctric 1
l op near only Base heat only	Door	Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Lutrit only Freyza function Preza function Freyza	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Yes Yes Thermostal Settina Yes-Automatic based on function Yes Yes A 700 600 340x423413 Over (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A X1 3 421 x 365 Yes, baloene Go Easy clean enamel / Black Metal/Class Rinth Side Openina Side Openina Yes 2 Description colour Metal, chrome Yes Yes 1 Yes 2 Description colour Metal, chrome Yes x 1 Yes X 2 R 2 R 3 R 3 R 3 R 3 R 3 R 3 R 3 R 3 R 3 R 4 R 4 R 4 R 4 R 5 R 5 R 7 R 7 R 7 R 7 R 7 R 7 R 7 R 7 R 7 R 7
	Door	Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Luft only Sow cook Preza function Author Author Author Author Base heat with fan Grill with fan Luft only Base heat with fan Grill with fan Luft only Base heat word function Doouth Pread price Rapid heat Daltall Thermostat PyroNict function Preset tone Baptal heat Daltall Thermostat PyroNict function Preset over setting Energy rating Y fentures Some function Base (Author (Birres) Usable Capachy (Birres) Usable Capachy (Birres) Usable Gayathy dimensions (HeWAD mm) Prover (MV) Q. 2500 Energy consumption (Kwh) Nor of shelves Door Opport (MY) De Capachy Door Hospital (MY) Door Hospital (MY) Door Hospital (MY) Door Hospital (MY) Door (MY) Q. 2500 Door (Door (MY) Handle skirk / Colour Door coborn Handle skirk / Colour Door features Screened branding Badee brand Main/secon/third/fourth oven Function Fuel Mon of functions Programmable oven Coventional electric grill Freed rate delectric grill Freed rate delect	Yes Yes Yes Yes Yes Yes Yes Yes Yes Thermostal Setting Yes Yes Yes Thermostal Settina Yes-Automatic based on function Yes Yes A 700 600 340x423413 Over (3.2) 0.72 (Fanned) / 0.83 (Conventional) 4 5 N/A X1 3 421 x 365 Yes, baloene Go Easy clean enamel / Black Metal/Class Rinth Side Openina Side Openina Yes 2 Description colour Metal, chrome Yes Yes 1 Yes 2 Description colour Metal, chrome Yes x 1 Yes X 2 R 2 R 3 R 3 R 3 R 3 R 3 R 3 R 3 R 3 R 3 R 4 R 4 R 4 R 4 R 5 R 5 R 7 R 7 R 7 R 7 R 7 R 7 R 7 R 7 R 7 R 7

	Base heat with fan Grill with fan	
	Light only Slow cook	Yes
	Pizza function AirFry Function	
	Keep warm/plate warm function	
	Dough/Bread proving Pie setting	
	Meat probe Rapid heat	
	Digital Thermostat Pyrolytic function	
	Pre-set oven setting Energy rating	
Cav	Actual capacity (litres)	42L
	Usable capacity (litres)	42L 250 × 466 × 420
	Cavity dimensions (HxWxD mm) Power (kW) @ 230V	350 x 466 x 429 0.15
	Energy consumption (Kwh) No of shelves	N/a
	No of shelf positions Telescopic shelves - Fixed	
	Telescopic shelves - Removable/adiustable No of telescopic fixing positions	
	Usable area of shelves (WxD mm) Oven light / Type	
Dog	Interior finish / colour	Easy dean enamel / Black
Doo	Door type	Metal
	Door opening Hinge type	Drop down
	Arrest position Viewing window	No
	Door glazing number(inc. outer if applicable) Door colour	Description Colour
	Handle style / Colour Door outer glass	Metal, chrome
	Inner glass	Yes
	Inner Glass Removeable Cladding type	Yes
	Cladding style / Colour Door features	
	Screened branding Badge brand	
Fascia Fascia	cia features	
	Number of knobs Style of knob - colour & type	12 Black plastic body, chrome plastic cap
1	Bezel - colour & type	textured black plastic
	Oven/Grill markings location (knob, bezel, facia) Fascia material	White print, on bezel Metal one piece pressing
İ	Fascia colour Cladding type	Black gloss
	Cladding style/colour Fascia cooling system	Yes
	Screened Branding or Model Name Badge / Brand	
Timer		
	Mechanical timer (pinger) Analoque clock/programmer	
	LED clock/minute minder - cavity, size and colour LED clock/programmer - cavity, size and colour	
	LED clock/programmer cook to off - cavity, size and colour Touch control clock/programmer - cavity, size and colour	Cavity 2, large, white
	Touch control clock/programmer 'Cook To Off' - cavity, size and colour Connectivity / Bluetooth	
	Electronic clock / programmer	
Features		
	Warming drawer/cavity Integrated solashback	
	Rotisserie Pro-Flex Splitter	
	Adjustable feet Retractable control knobs	Yes
Accessor	Rear wheels ries (included)	Yes
	Removable cast griddle plate	Yes
	Wok cradle Grillpan/trivet Crillpan handle metal	
	Grillpan handle - metal Roasting tin	
	Full width oven/grill pan - shallow Full width oven/grill pan - deep	Yes x1
	Full width oven/grill pan - deep Full width oven/grill pan - reversible trivet Oven/grill pan handle	Yes x1 Yes x1
	Full width oven/qrill pan - deen Full width oven/qrill pan - reversible trivet Oven/qrill pan handle AirFry Tray	Yes x1
	Full width over/orlin pan - deeo Full width over/orlin pan - reversible trivet Over/orlin pan handle Alfry Tray Cast Iron pot Grill rack	Yes x1 Yes x1
	Full width overlorili pan - deep Full width overlorili pan - reversible trivet Overlorili pan handle Alfry Tray Alfry Tray Cast Iron pot. Grill rack Turnsble Browning pate	Yes x1 Yes x1
Remova	Full width overlorili pan - deeo Full width overlorili pan - reversible trivet Overlorili pan handle Alfriy Tray Cast Iron pot. Grill rack Turnsble Browning pate Steam & Influse Be Parts (for cleaning)	Yes x1 Yes x1 Yes x1
Remova	Full width over/orili pan - deeo Full width over/orili pan - towersible trivet Over/orili pan handle Alfry Tray Cast Iron pot Grill rack Trurtable Browning plate Steam & Influse	Yes x1 Yes x1
Remova	Full width over/orili pan - deeo Full width over/orili pan - heversible trivet Over/orili pan handle Alfr'y Tray Cast ino not Grill rack Turntable Browning plate Steam & Influse blie Parts' (for cleaning)	Yes x1 Yes x1 Yes x1 Yes x1
Remova	Full width overlorill pan - deepe Full width overlorill pan - reversible trivet Overlorill pan handle Aufry Tray Cast iron pot Griff rack. Browning plate Stromming plate Stromming plate Stromming plate Forming plate Forming plate Stromming plate Stromming plate Forming plate Forming plate Stromming plate Forming plate Stromming plate Forming plate Forming plate Forming plate Forming plate Stromming plate Forming plate Stromming plate Forming pla	Yes x1 Yes Yes Yes Yes Yes N/A
	Full width overloriil pan - deeo Full width overloriil pan - teversible trivet Overloriil pan handle Aufry Tray Cast iron pot	Yes x1 Yes x1 Yes x1 Yes x1 Yes Yes Yes Yes
Remova	Full width overlorill pan - deepe Full width overlorill pan - reversible trivet Overlorill pan handle Aufry Tray Cast iron pot Grill rack Grill rack Turntable Brownins plate Brownins pla	Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes Yes Yes Yes Yes Yes Yes N/A Yes Yes N/A Yes Yes Not Gas
	Full width overlorill pan - deeo Full width overlorill pan - teversible trivet Overlorill pan handle	Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes Yes Yes Yes Yes Yes N/A Yes Yes Yes Top right Top right
	Full width overlorili pan - deeo Full width overlorili pan - teversible trivet Overlorili pan handle Aufry Tray Cast Iron pot. Grill rack Turntable Browning pate Steam & Infuse Turntable Steam & Infuse Steam & Infuse Steam & Infuse Turntable Steam & Infuse Stea	Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes Yes Yes Yes Yes Yes Yes Yes N/A Yes Yes Not Gas 11/2" BSP
	Full width overlorill pan - deep Full width overlorill pan - reversible trivet Overlorill pan handle Aufry Tray Cast too pot. Cast too pot. Cast too pot. Cast too pot. Stromning lette Stromning lette Browning lette Browning lette Browning lette Steam & Infuse ble Parts (for cleaning) Hob burners Pan supports Inner door class Shelves Shelves Shelves Shelves Ges niet by Cast Ges niet by Ges Ges niet	Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes Yes Yes Yes Yes Yes N/A Yes Nat Gas 1/2° BSP Top right Yes - Conversion kit not supplied Yes N/A
	Full width overlorill pan - deep Full width overlorill pan - reversible trivet Overlorill pan handle Aufror Tray Cast Iron pot. Graff Task. Graff Task	Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes Yes Yes Yes Yes Yes Yes Ye
	Full width overlorill pan - deep Full width overlorill pan - reversible trivet Oxer/orill pan handle Aufry Tray Cast fron pot Griff rack. Cast fron pot Griff rack. Griff rack. Browning olste Stoem & Infuse ble Parts (for cleaning) Infuse Shelves Shelves Shelves Gas infex position Lifts convertible Lifts convertible Lifts convertible Lifts convertible Lifts convertible Lift convertible Lift convertible Lift convertible Electrical connection Supply voltage Supply voltage	Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes Yes Yes Yes Yes Yes Yes Ye
	Full width overlorill pan - deep Full width overlorill pan - reversible trivet Oxer/orill pan handle Aufry Tray Cast iron pot Gorill rack. Aufry Tray Cast iron pot Gorill rack. Grant rack. Browning obtet Browning obtet Stroem & Infuse blee Parts (for cleaning) Hob burnes Pan supports Inner door olass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable Shelf quides Gas vipe Gas inter type Electrical convertible Life convertible Life convertible Life convertible Electrical connection Supply voltage Phase (single or 3) Maximum rating	Yes x1 Yes Yes Yes Yes Yes Yes Yes Ye
	Full width overlorill pan - deeo Full width overlorill pan - teversible trivet Overlorill pan handle Anfry Tray Cast iron pot. Grill rack Turntable Drowning plate Steam & Influe Browning plate Info Domers Fan supports Influence of Cast Infl	Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes x1 Yes Yes Yes Yes Yes Yes Yes Ye
	Full width overlorill pan - deeo Full width overlorill pan - teversible trivet Overlorill pan handle Anfry Tray Cast iron pot. Grill rack Turntable Browning pate Steam & Influse Browning pate Influse Growning Info Dumers Fan supports Influse Growning Influse Influse Growning Influse In	Yes x1 Yes Yes Yes Yes Yes Yes N/A Yes Yes Not Gas 1/2* BSP To night Yes - Conversion fit not supplied Yes Yes 3 1/4 Supplied Yes Yes 1/4 Supplied Yes 1/
	Full width overlorill pan - deep Full width overlorill pan - teversible trivet Overlorill pan handle Aufry Tray	Yes x1 Yes Yes Yes Yes Yes NA Yes Yes NA Yes Nat Gas 1/2° BSP Too right Yes - Conversion fit not supplied Yes NA Maddle left Terminal block 220/450V Subo Na Subo Na 1/2° SP To right Yes - Conversion fit not supplied Yes NA Maddle left Terminal block 230/450V Subo Na 1/2° Subo Na NA
	Full width overlorill pan - deep Full width overlorill pan - reversible trivet Overlorill pan handle Alfriv Tray Cast ton pot. Grill rack. Grat ton pot. Grill rack. Browning plate Steam & Infuse Browning plate Steam & Infuse Browning plate Inner door class Shelves Fan supports Inner door class Shelves Shelves Fan supports Inner door class Shelves Shelves Greiches Shelves - Removable/adjustable Shelve and Cast of the Cas	Yes x1 Yes Yes Yes Yes Yes NA Yes Yes NA Yes A Solution of the selection of the sel
Installat	Full width overlorill pan - deep Full width overlorill pan - reversible trivet Overlorill pan handle Aufroy Tray Cast ton pot. Grill rack. Grat ton pot. Grill rack. Browning plate Steam & Infuse Browning plate Steam & Infuse Browning plate Inner door class Shelves Pan supports Inner door class Shelves Shelves - Removable/adjustable Shelve and to the shelves - Removable/adjustable Shelve and to the shelves - Removable/adjustable Shelves Grat Cast Steam of the shelves - Removable/adjustable Shelves Grat Cast Steam of the shelves - Removable/adjustable Shelves Grat Cast Steam of the shelves - Removable/adjustable Shelves Grat Cast Steam of the shelves - Removable/adjustable Shelves Grat Cast Steam of the shelves - Removable/adjustable Shelves Grat Cast Steam of the shelves - Removable/adjustable Shelves Grat Cast Steam of the shelves - Removable/adjustable	Yes x1 Yes Yes Yes Yes Yes Yes Yes Yes Yes NM Cas 1/2* BSP Top right Yes - Conversion kit not supplied Yes N/A Middle left Terminal block 230/400V 50/60 Hz 3 Phase 7.8 17.0 32 A No. N/A N/A N/A 10mm
Installat	Full width overlorill pan - deep Full width overlorill pan - reversible trivet Overlorill pan handle Aufry Tray Cast ton pot. Grill rack. Grill rack. Browning olate Steem & Infuse bis Parts (for cleaning) Hob burners Pan supports Inner door olass Shelves Shelves - Removable/adjustable Shelves in the company of the com	Yes x1 Yes Yes Yes Yes NA Yes NA Yes NA Yes Na Gas 1/2" BSP Top right Yes - Conversion fit not supplied Yes NIA Middle left Terminal block 230/400V 50/50 Hz 3 Phase 7 8 17.0 32.4 No No N/A 10mm 0mm 650mm
Installat	Full width overloril pan - reversible trivet Overloril pan handle Aufry Tray Cast iron pot Grill rack Grill rack Grill rack Turntable Browning plate Steem & Influe Steem	Yes x1 Yes Yes Yes Yes Yes NA Yes Yes Nat Gas 1127 Say Top right Yes - Conversion Rr not supplied NA Middle left Terminal block 230/409V S0/60 Hz 3 Phase 7.8 117.0 22 A 117.0 22 A 117.0 23 A 117.0 24 A 117.0 25 A 26 A 27 A 28 A 29 A 29 A 20
Installat Installat Dimension	Full width overlorill pan - deep Full width overlorill pan - teversible trivet Overlorill pan handle Aufry Tray	Yes x1 Yes Yes Yes Yes NA Yes NA Yes NA Yes Na Gas 1/2" BSP Top right Yes - Conversion fit not supplied Yes NIA Middle left Terminal block 230/400V 50/50 Hz 3 Phase 7 8 17.0 32.4 No No N/A 10mm 0mm 650mm
Installat Installat Dimension	Full width overlorill pan - deep Full width overlorill pan - teversible trivet Overlorill pan handle Aufry Tray	Yes x1 Yes Yes Yes Yes Yes Yes NA Yes Yes Not Gas 1/27 85P Too right Yes - Conversion fir not supplied Yes A Middle left Terminal block 230/400V 50/60 Hz 3 Phase 7.8 17.0 32 A No
Installat Installat Dimension	Full width overlorill pan - reversible trivet Overlorill pan handle	Yes x1 Yes Yes Yes Yes Yes NA Yes Yes NA Yes Yes Not Gas 11/2 BSP To night Yes - Conversion fit not supplied Yes Yes A NA Yes Yes Not Gas 11/2 BSP To night Yes - Conversion fit not supplied Yes Yes Not Gas 11/2 BSP To night Yes - Conversion fit not supplied Yes Yes No No NA NA 100m 0mm 0mm 0mm 050mm 050mm 050mm 050mm 050mm 050mm 071 1060 174 1132
Installat Dimensis Pac	Full width overlorill pan - deep Full width overlorill pan - teversible trivet Overlorill pan handle Aufroy Tray	Yes x1 Yes Yes Yes Yes Yes NA Yes NA Yes No Gas 11/2 BSP Too right Yes - Conversion Rt not supplied Yes NAA Model left Terminal block 20060 Ht 3 Phase 7.8 17.0 32 A No No No NA 10mm 0mm 650mm 650mm
Dimensi Pac	Full width overlorill pan - deep Full width overlorill pan - teversible trivet Overlorill pan handle Aufry Tray	Yes x1 Yes Yes Yes Yes Yes NA Yes Yes NA Yes Yes Not Gas 11/2 BSP To night Yes - Conversion fit not supplied Yes Yes A NA Yes Yes Not Gas 11/2 BSP To night Yes - Conversion fit not supplied Yes Yes Not Gas 11/2 BSP To night Yes - Conversion fit not supplied Yes Yes No No NA NA 100m 0mm 0mm 0mm 050mm 050mm 050mm 050mm 050mm 050mm 071 1060 174 1132
Dimensis Pac	Full width overloril pan - deep Full width overloril pan - reversible trivet Overloril pan handle Aufry Tray	Yes x1 Ye
Dimensis Pac	Full width over/orli pan - reversible trivet Over/orli pan handle	Yes x1 Yes Yes Yes Yes NA Yes Yes NA Yes Yes Not Gas 1127 859 Top right Yes - Conversions not supplied Yes - Conversions not supplied Terminal block 230/400V 50/60 Hz 3 Phase 7.8 17.0 32.A 17.0 32.A 17.0 32.A 17.0 32.A 17.0 32.A 32.A 33.A 34.A 34.A 35.A 36.A 37.B 37.B 38.A 38.A 38.A 38.A 38.A 38.A 38.A 38.A
Dimension Pac	Full width overloril pan - deep Full width overloril pan - reversible trivet Overloril pan handle Aufry Tray Cast iron pot, Griff rack Turntable Browning late Brown	Yes x1 NA Yes x1 NA Yes x1 NA NA NA Middle left Terminal block 230400V S0/60 Hz 33 Phase x1 3 Phase x1 17.0 32 A x1 NA
Dimension Pac	Full width overloril pan - idees Full width overloril pan - reversible trivet	Yes x1 Ye
Dimension Pac	Full width overlorill pan - reversible trivet Overlorill pan handle	Yes x1 Yes Yes Yes Yes Yes NA Yes Yes NA Yes Yes Nat Gas 1/2" BSP Top right Yes - Conversion fit not supplied Yes NA Middle left Terminal block 230/400V 50/50 Hz 3 Phase 7 8 17.0 32 A No
Dimensis Pac Product Finishes Cole	Full width overlorill pan - deep Full width overlorill pan - teversible trivet Overlorill pan handle Aufriv Tray	Yes x1 Yes Yes Yes Yes N/A Yes Yes N/A Yes Yes Not Gas 1/2* BSP Top right Yes - Conversion fix not supplied Yes N/A Middle left Terminal block 230/400V 50/50 Hz 3 Phase 7 8 17.0 32.4 No
Dimensis Pac Product Finishes Cole	Full width overlorill pan - deep Full width overlorill pan - teversible trivet Overlorill pan handle Aufrly Tray	Yes x1 Ye
Dimensis Pac Product Finishes Cole	Full width overlorill pan - reversible trivet Overlorill pan handle	Yes x1 Yes Yes Yes Yes Yes NA Yes Yes Not Gas 1/27 SSP Too right Yes - Conversion fir not supplied Yes And