Supplier's name or trade mark: HOTPOINT

Supplier's address: BEKO EUROPE MANAGEMENT S.R.L., VIA VARESINA, 204 20156 MILANO ITALY

Model identifier: NDD 11748 DA UK

## **General product parameters:**

Parameter	Value		Parameter	Value	
Rated capacity (kg)	Rated capacity	7,0	Dimensions in cm	Height	85
	Rated washing capacity	11,0		Width	60
				Depth	61
Energy Efficiency Index	EEIW	41,5	- Energy efficiency class	EEIW	А
	EEIWD	55,0		EEIWD	С
Washing efficiency index	Iw	1,031	Rinsing effectiveness (g/kg dry tex- tile)	I <sub>R</sub>	4,9
	JW	1,031		J <sub>R</sub>	4,9
Energy consumption in kWh per cycle, for the washing cycle of the household washer-dryer, using the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used	0,424		Energy consumption in kWh per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is used	2,814	
Water consumption in litre per cycle, based on the eco 40-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	50		Water consumption in litre per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water	51	

Parameter	Value		Parameter	Value			
Maximum temperature inside the treated textile (°C) for the washing cycle of the household washer-dryer, using the eco 40-60 programme	Rated washing capacity	31	Maximum temperature inside the treated textile (°C) for the washing cycle of the household washer-dryer, using the wash and dry cycle	Rated capacity	24		
	Half	29					
	Quarter	24		Half	21		
Spin speed (rpm)	Rated washing capacity	1351	Weighted remaining moisture content (EU 2017/1369) (%)	53,0			
	Half	1351					
	Quarter	1351					
Eco 40-60 programme duration (h:min)	Rated washing capacity	4:00	Spin-drying efficiency class	В			
	Half	3:00					
	Quarter	3:00					
Airborne acoustical noise emissions during the spinning phase for the eco 40-60 washing cycle at rated washing capacity (dB(A) re 1 pW)	79		Wash and dry cycle duration (h:min)	Rated capacity	10:15		
				Half	6:55		
Туре	Free-standing		Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity	С			
Off-mode (W) (if applicable)	0,50		Standby mode (W) (if applicable)	0,50			
Delay start (W) (if applicable)	4,00		Networked standby (W) (if applicable)	-			
Minimum duration of the guarantee offered by the supplier: 24 months							

This product has been designed to release silver
ions during the washing cycle

Additional information: The years of guarantees may be different according to other national legislation. Exceptions: Ireland, United Kingdom: 12 months; Spain, Portugal: 36 months; Norway: 60 months

Weblink to the supplier's website, where the information in point 9 of Annex II to Commission Regulation (EU) 2019/2023 is found: https://docs.hotpoint.eu