

Specification sheet							
Brand and Model	Stoves Richmond Deluxe ST DX RCA RICH 100EI RTY						
Summary	Product Type 100cm Electric Induction Range Cooker Short Product Description 100cm Electric induction range cooker with a 5 zone induction hob, conventional oven & grill, multifunction main oven with TrueTemp™ digital thermostat, fanassisted second oven and dedicated slow cook oven.						
Long Product description	<p>Culinary confidence is served with Stoves Deluxe – a cutting-edge collection of electric range cookers designed to help you master every meal.</p> <p>The unique Quad Oven™ is a Stoves exclusive that gives you 196 litres of cooking capacity across four ovens – including a dedicated Slow Cook Oven, conventional oven and Maxi-Grill oven, and a fanassisted second oven with 13 different settings. This includes rapid preheat and the AirFry function with specially designed tray – giving you that unbeatable crispness with little to no oil.</p> <p>The expansive hob features advanced induction technology, which heats the pan instead of the hob surface to make cooking safer, faster and more energy efficient. There are five rotary-controlled induction zones, giving you space to fry, boil and simmer - or you can bridge zones together to boost surface area for the biggest pans.</p> <p>Beyond the cooking capabilities, there's a host of other features designed to help you get the best results, including the TrueTemp™ digital thermostat, MaxiClock™ programmer and SteamCleanse cleaning assistant.</p> <p>Luxury design meets contemporary innovation to give today's home cook what they really want – consistently delicious results.</p>						
Range Overview	Our modern take on a traditional looking range cooker, the Richmond collection has been designed to fit any style of kitchen.						
Key Product Benefits							
Feature 1	Quad Oven™ With 196L Total Cooking Capacity						
Feature 2	5 Zone rotary control induction hob with bridgeable zones						
Feature 3	TrueTemp digital thermostat						
Feature 4	13 Setting multifunction main oven with rapid pre-heat & AirFry						
Feature 5	AirFry function & Tray						
Feature 6	Make cleaning easier with Easy-clean enamel and SteamCleanse the natural power of steam						
Feature 7	Dedicated slow cook oven						
Feature 8	Steam & Infuse™						
Feature 9	Pro-Trac™ double-extension telescopic sliders						
Feature 10	Conventional oven and Maxi-Grill™ with telescopic sliders						
Product Type	Range Cooker						
Integrated or freestanding	Freestanding						
Fuel	Electric Induction						
Number of ovens	4						
Warranty period	3 Years Parts & Labour						
Hob layout	(diagram to be assigned) <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>2</td><td>5</td></tr> <tr> <td>3</td><td></td></tr> <tr> <td>1</td><td>4</td></tr> </table>	2	5	3		1	4
2	5						
3							
1	4						
Cavity layout	(diagram to be assigned) <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>1</td><td>3</td></tr> <tr> <td>2</td><td>4</td></tr> </table>	1	3	2	4		
1	3						
2	4						
Hob	Hob summary 5 Induction Zones With Bridge Function No. of burners/elements Hob type Black Glass with Metal Frame Control position Fasca						
Electric hob	Element 1 (kW) Medium 1.6 (3.0 Boost) Element 2 (kW) Medium 1.6 (3.0 Boost) Element 3 (kW) Large 2.3 (3.7 Boost) Element 4 (kW) Small 1.15 (2.2 Boost) Element 5 (kW) Medium 1.4 (3.0 Boost) Element 6 (kW) Element 7 (kW) Central on/off key Hot hob light Individual residual Heat Indicators Yes Control type (rotary or touch) Rotary (fascia) Digital power display Yes Power boost 10 (0.1 boost) Keep warm function Yes Pan detection Yes Pan overheating detection Yes Child lock Yes Boost function Yes Auto heat up Yes Auto stand by Yes Minute minder Yes Timer Function Yes Bridge Function / Gridle Zone Yes - Zones 1&2 Easy clean ceramic glass surface Yes						
Cavity 1	Top Left						
Position	Top Left						
Main/second/third/fourth oven	Third						
Action	Conventional oven and grill						
Fuel	Electric						
No. of functions	2						
Programmable oven	No						
Electric oven/grill	Fixed rate electric grill Variable rate dual circuit electric grill Variable rate electric grill Variable rate dual circuit electric grill Yes Conventional electric oven Yes Energy rating A						
Cavity features	Actual capacity (litres) 42 Usable capacity (litres) 23 Usable Cavity dimensions (HxWxD mm) 183x423x430 Power (kW) @ 230V Conv Oven (1.5) Grill (1.6-2.5) Energy consumption (Kwh) 0.63 (Conventional) No. of shelves 0 Type of shelf positions 0 Telescopic shelves - Fixed 0 Telescopic shelves - Removable/adjustable x1 No of telescopic fixing positions 3 Usable area of shelves (WxD mm) 422 x 365 Oven light / Type Halogen Interior finish / colour Easy clean enamel / Black						
Door	Door type Metal Door opening Drop-down Hinge type Arrest position Viewing window No Viewing number (inc. outer if applicable) 2 Door colour Description colour Handle style / Colour Metal, chrome Door outer glass No Inner glass Yes Inner Glass Removable Yes Cladding type Cladding style / Colour Door finish Screened branding						
Badge brand	Stoves						

Cavity 2	Position	Bottom Left
	Main/second/third/fourth oven	Second
	Function	Fanned Oven
	Fuel	Electric
	No. of functions	4
	Programmable oven	No
	Electric oven/grill	
	Fixed rate electric grill	
	Fixed rate dual circuit electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	Yes
	Defrost	
	Defrost/Dough Proving (Combined Function)	
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Light only	
	Slow cook	Yes
	Pizza function	
	AirFry Function	
	Keep warm/plate warm function	Yes
	Dough/Bread proving	Yes
	Pie setting	
	Meat probe	
	Rapid heat	
	Digital Thermostat	
	Pyrolytic function	
	Pre-set oven setting	
	Emergency stop	A
	Cavity features	
	Actual capacity (litres)	70L
	Usable capacity (litres)	61L
	Usable Cavity dimensions (HxWxD mm)	350x423x413
	Power (kW) @ 230V	Oven (1.9)
	Energy consumption (Kwh)	0.73
	No. of shelves	3
	No. of shelf positions	5
	Telescopic shelves - Fixed	N/A
	Telescopic shelves - Removable/adjustable	x1
	No. of telescopic fixing positions	5
	Oven area of shelves (WxD mm)	421 x 365
	Oven light / Type	Yes, halogen G9
	Interior finish / colour	Easy clean enamel / Black
	Door	
	Door type	Metal/Glass
	Door opening	Left Side Opening
	Hinge type	Side Opening
	Arrest position	Yes
	Viewing window	Yes
	Door clazing number(inc. outer if applicable)	2
	Door colour	Description colour
	Handle style / Colour	Metal, chrome
	Door outer glass	Yes x 1
	Inner glass	Yes x 1
	Inner Glass Removable	Yes
	Cladding type	
	Cladding style / Colour	
	Door features	
	Screened branding	
	Badge brand	
Cavity 3	Position	Top Right
	Main/second/third/fourth oven	Main
	Function	Multifunction Oven
	Fuel	Electric
	No. of functions	13
	Programmable oven	Yes
	Electric oven/grill	
	Fixed rate electric grill	
	Fixed rate dual circuit electric grill	
	Variable rate electric grill	Yes
	Variable rate dual circuit electric grill	Yes
	Conventional electric oven	Yes
	Fanned electric oven	Yes
	Defrost	
	Defrost/Dough Proving (Combined Function)	Yes
	Intensive bake (top, bottom & fan)	Yes
	Top heat only	Yes
	Base heat only	Yes
	Base heat with fan	Yes
	Grill with fan	Yes
	Light only	Yes
	Slow cook	Thermostat Setting
	Pizza function	Yes
	AirFry Function	Yes
	Keep warm/plate warm function	Thermostat Setting
	Dough/Bread proving	
	Pie setting	
	Meat probe	
	Rapid heat	Yes - Automatic based on function
	Digital Thermostat	Yes
	Pyrolytic function	
	Pre-set oven setting	Yes
	Energy rating	A
	Cavity features	
	Actual capacity (litres)	70L
	Usable capacity (litres)	60L
	Usable Cavity dimensions (HxWxD mm)	340x423x413
	Power (kW) @ 230V	Oven (2.2)
	Energy consumption (Kwh)	0.72 (Fanned) / 0.83 (Conventional)
	No. of shelves	4
	No. of shelf positions	5
	Telescopic shelves - Fixed	N/A
	Telescopic shelves - Removable/adjustable	x1
	No. of telescopic fixing positions	5
	Oven area of shelves (WxD mm)	421 x 365
	Oven light / Type	Yes, halogen G9
	Interior finish / colour	Easy clean enamel / Black
	Door	
	Door type	Metal/Glass
	Door opening	Right Side Opening
	Hinge type	Side Opening
	Arrest position	Yes
	Viewing window	Yes
	Door clazing number(inc. outer if applicable)	2
	Door colour	Description colour
	Handle style / Colour	Metal, chrome
	Outer glass	Yes x 1
	Inner glass	Yes x 1
	Inner Glass Removable	Yes
	Cladding type	
	Cladding style / Colour	
	Door features	
	Screened branding	
	Badge brand	
Cavity 4	Position	Bottom Right
	Main/second/third/fourth oven	Fourth
	Function	Slow Cook Oven
	Fuel	Electric
	No. of functions	1
	Programmable oven	No
	Gas oven/grill	
	Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	
	Automatic oven	
	Flame safety device	
	Electric oven/grill	
	Fixed rate electric grill	
	Fixed rate dual circuit electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	
	Defrost	
	Defrost/Dough Proving (Combined Function)	
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Light only	
	Slow cook	Yes
	Pizza function	
	AirFry Function	
	Keep warm/plate warm function	
	Dough/Bread proving	
	Pie setting	
	Meat probe	
	Rapid heat	
	Digital Thermostat	

Pyrolytic function	
Pre-set oven setting	
Energy rating	
Cavity features	
Actual capacity (litres)	42L
Usable capacity (litres)	42L
Cavity dimensions (WxDxH mm)	350 x 465 x 429
Power (kW) @ 230V	0.15
Energy consumption (kWh)	N/a
No. of shelves	
No. of shelf positions	
Telescopic shelves - Fixed	
Telescopic shelves - Removable/adjustable	
No. of telescopic fixing positions	
Usable area of shelves (WxD mm)	
Oven light / Type	
Interior finish / colour	Easy clean enamel / Black
Door	
Door type	Metal
Door opening	Drop down
Hinge type	
Arrest position	
Viewing window	No
Door glazing number/Inc. outer if applicable)	
Door colour	Description Colour
Knob style / Colour	Metal, chrome
Outer door glass	
Inner glass	Yes
Inner Glass Removable	Yes
Cladding type	
Cladding style / Colour	
Handle features	
Screened branding	
Badge brand	
Fascia	
Fascia features	
Number of knobs	10
Style of knob/cap colour & type	Black plastic body, chrome, elastic cap
Knob colour & type	Textured black plastic
Oven/grill markings location (knob, bezel, fascia)	White print, on bezel
Fascia material	Metal one piece pressing
Fascia colour	Black gloss
Cladding type	
Cladding style/color	
Fascia colour system	Yes
Branded/Model branding	
Badge / Brand	
Timer	
Mechanical timer (pincer)	
Analogue clock/programmer	
1 minute/minute timer - cavity, size and colour	
LED clock/minute timer - cavity, size and colour	
LED clock/programmer cook to off - cavity, size and colour	Cavity 2, large, white
Touch control clock/programmer 'Cook To off' - cavity, size and colour	
Touch control clock/programmer 'Cook To Off' - cavity, size and colour	
Connectivity / Bluetooth	
Electronic clock / programmer	
Special aesthetic appearance (eg Sterling)	
Features	
Warming drawer/cavity	
Integrated splashback	
Rotisserie	
Pro-Flex Splitter	
Retractable feet	Yes
Retractable control knobs	
Bear wheels	
Accessories (included)	
Removable cast griddle plate	
Wok cradle	
Grillpan/trivet - metal	
Roasting tin	
Full width oven/grill pan - shallow	Yes x1
Full width oven/grill pan - deep	Yes x1
Full width oven/grill pan - trivet	Yes x1
Oven/grill pan handle	Yes x1
Aluminium tray	Yes x1
Cast iron pot	
Grill rack	
Turntable	
Browning plate	
Steam & Infuse	
Yes	
Removable Parts (for cleaning)	
Front panel	N/A
Pan supports	N/A
Inner door glass	Yes
Shelves	Yes
Telescopic shelves - Fixed	N/A
Telescopic shelves - Removable/adjustable	Yes
Shelf guides	Yes
Installation	
Gas type	
Gas inlet type	
Gas inlet position	
LPG convertible	No
Hard wired	Yes
Hard length	N/A
Terminal block position	Middle Left
Electrical connection	Terminal block
Supply voltage	230/400V
Supply frequency	50/60 Hz
Phase (single or 3)	3 Phase
Phase	
Total electrical power load (kW) @230V	15.2
Total gas power load (kW)	
Minimum Electrical Connection Rating (A)	32 A
Fitted 3 pin plug	No
Method of securing to wall (stability bracket/safety chain)	N/A
Minimum distance required to sides (mm)	10mm
Minimum distance required behind (mm)	0mm
Minimum distance required above (mm)	650mm
Dimensions	
Packed	
Height (mm)	975
Width (mm)	1060
Depth (mm)	714
Product weight (kg)	124
Product	
Height (mm)	900-930
Width (mm)	996
Depth (mm)	600
Weight (kg)	110.732
Product Supply Information	
Country of origin	China
Finishes & codes	
Colour 1	
SKU code	Black
EAN code	444411873
AS400/Aurora model description	ST DX RCA RICH 100E1 RTY BLK
Exclusive	
Colour 2	
SKU code	Cream
EAN code	444411874
AS400/Aurora model description	ST DX RCA RICH 100E1 RTY CRM
Exclusive	
Colour 3	
SKU code	Anthracite Grey
EAN code	444412021
AS400/Aurora model description	ST DX RCA RICH 100E1 RTY AGR
Exclusive	
Colour 4	
SKU code	Ice White
EAN code	444412022
AS400/Aurora model description	ST DX RCA RICH 100E1 RTY IWH
Exclusive	
Colour 5	
SKU code	Cloud Blue
EAN code	444412023
AS400/Aurora model description	ST DX RCA RICH 100E1 RTY TBL
Exclusive	
Colour 6	
SKU code	Midnight Blue
EAN code	444412024
AS400/Aurora model description	ST DX RCA RICH 100E1 RTY MBL
Exclusive	
Colour 7	
SKU code	Deep Marine
EAN code	444412025
AS400/Aurora model description	ST DX RCA RICH 100E1 RTY DMA
Exclusive	
Colour 8	
SKU code	Galaxy Red
EAN code	444412026
AS400/Aurora model description	ST DX RCA RICH 100E1 RTY GAR
Exclusive	
Colour 9	
SKU code	Colour Boutique
EAN code	444412026
AS400/Aurora model description	ST DX RCA RICH 100E1 RTY CRB
Exclusive	