



## **Front Loading Washing Machines**

H7W 412MBC-80

## ENVIRONMENTAL PROPERTIES OR CHARACTERISTICS

Product recyclability	
Recycled material in the product	
Rare earths in the product, contains at least (mg)	
Precious metals in the product, contains at least (mg)	
Packaging recyclability	
Recycled material in the packaging	
Possibility of reusing packaging	
	MAIN FEATURES
Product name / Commercial code	H7W 412MBC-80
Product code	31019031
EAN Code	8059019050621
Built-in / Freestanding	Freestanding
Loading type	Front
Capacity (kg)	12
Maximum spin speed (rpm)	1400
	TECHNICAL FEATURES

Voltage (V)  PROGRAMMES AND FUNCTIONS  Number of programmes  Start delay options  Yes (up to 24h)  Main features  All in one  Steam programme  Yes  AESTHETIC  Colour  Colour of door  Black  Colour of handle  Black  PERFORMANCE AND CONSUMPTION  Energy class  A  Spin-drying efficiency class  Weighted energy consumption [100 cycles, eco 40-60]  Programme duration Rated capacity  Noise level spinning (dB) (A)  Airborn acoustical noise emission class  Water consumption  Beight of the product  Width of the product  S59  Full depth (door and pipes included)  Cabinet depth (without pipes and door)	Connectivity	Remote control (Wi-Fi)
Drum volume 54 Drum material Stainless Steel Plug type UK Voltage (V) 220-240 PROGRAMMES AND FUNCTIONS Number of programmes Start delay options Yes (up to 24h) Main features All in one Steam programme Yes AESTHETIC Colour White Colour of door Black Colour of handle Black PERFORMANCE AND CONSUMPTION Energy class A Spin-drying efficiency class B Weighted energy consumption [100 cycles, eco 40-60] Programme duration Rated capacity 3:58 Noise level spinning (dB) (A) 76 Airborn acoustical noise emission class Water consumption 56 UMENSIONS Height of the product 85 Width of the product 59 Full depth (door and pipes included) 66 Cabinet depth (without pipes and door)	ІоТ Арр	hOn
Drum material Stainless Steel Plug type UK Voltage (V) 220-240 PROGRAMMES AND FUNCTIONS Number of programmes Start delay options Yes (up to 24h) Main features All in one Steam programme Yes  AESTHETIC Colour White Colour of door Black Colour of handle Black PERFORMANCE AND CONSUMPTION Energy class A Spin-drying efficiency class B Weighted energy consumption [100 cycles, eco 40-60] Programme duration Rated capacity 3:58 Noise level spinning (dB) (A) 76 Airborn acoustical noise emission class Water consumption 56  Width of the product 85 Width of the product 59 Full depth (door and pipes included) 66 Cabinet depth (without pipes and door)	Motor type	Inverter BPM
Plug type UK Voltage (V) 220-240 PROGRAMMES AND FUNCTIONS Number of programmes Start delay options Yes (up to 24h) Main features All in one Steam programme Yes AESTHETIC Colour White Colour of door Black Colour of handle Black PERFORMANCE AND CONSUMPTION Energy class A Spin-drying efficiency class B Weighted energy consumption [100 cycles, eco 40-60] Programme duration Rated capacity 3:58 Noise level spinning (dB) (A) 76 Airborn acoustical noise emission class Water consumption 56 DIMENSIONS Height of the product 85 Width of the product 59 Full depth (door and pipes included) 66 Cabinet depth (without pipes and door)	Drum volume	54
Voltage (V)  PROGRAMMES AND FUNCTIONS  Number of programmes  Start delay options  Yes (up to 24h)  Main features  All in one  Steam programme  Yes  AESTHETIC  Colour  Colour of door  Black  Colour of handle  Black  PERFORMANCE AND CONSUMPTION  Energy class  A  Spin-drying efficiency class  Weighted energy consumption [100 cycles, eco 40-60]  Programme duration Rated capacity  Noise level spinning (dB) (A)  Airborn acoustical noise emission class  Water consumption  Beight of the product  Width of the product  S59  Full depth (door and pipes included)  Cabinet depth (without pipes and door)	Drum material	Stainless Steel
PROGRAMMES AND FUNCTIONS  Number of programmes  Start delay options  Yes (up to 24h)  Main features  All in one  Steam programme  Yes  AESTHETIC  Colour  Colour of door  Black  Colour of handle  Black  PERFORMANCE AND CONSUMPTION  Energy class  A  Spin-drying efficiency class  Weighted energy consumption [100 cycles, eco 40-60]  Programme duration Rated capacity  Noise level spinning (dB) (A)  Airborn acoustical noise emission class  Water consumption  56  DIMENSIONS  Height of the product  Width of the product  S5  Full depth (door and pipes included)  Cabinet depth (without pipes and door)	Plug type	UK
Number of programmes  Start delay options  Yes (up to 24h)  Main features  All in one  Steam programme  Yes  AESTHETIC  Colour  Colour of door  Black  Colour of handle  Black  PERFORMANCE AND CONSUMPTION  Energy class  A  Spin-drying efficiency class  Weighted energy consumption [100 cycles, eco 40-60]  Programme duration Rated capacity  Noise level spinning (dB) (A)  Airborn acoustical noise emission class  Water consumption  DIMENSIONS  Height of the product  85  Width of the product  59  Full depth (door and pipes included)  Cabinet depth (without pipes and door)	Voltage (V)	220-240
Start delay options  Yes (up to 24h)  Main features  All in one  Steam programme  Yes  AESTHETIC  Colour  White  Colour of door  Black  Colour of handle  Black  PERFORMANCE AND CONSUMPTION  Energy class  A  Spin-drying efficiency class  B  Weighted energy consumption [100 cycles, eco 40-60]  Programme duration Rated capacity  Noise level spinning (dB) (A)  Airborn acoustical noise emission class  Water consumption  DIMENSIONS  Height of the product  85  Width of the product  59  Full depth (door and pipes included)  Cabinet depth (without pipes and door)		PROGRAMMES AND FUNCTIONS
Main features Steam programme Yes AESTHETIC Colour White Colour of door Black PERFORMANCE AND CONSUMPTION Energy class ASpin-drying efficiency class Weighted energy consumption [100 cycles, eco 40-60] Programme duration Rated capacity Noise level spinning (dB) (A) Airborn acoustical noise emission class Water consumption Height of the product Width of the product Steam programme description of the product Steam programme duration Rated capacity Steam programme duration Rated capaci	Number of programmes	
Steam programme Yes  AESTHETIC  Colour White  Colour of door Black  Colour of handle Black  PERFORMANCE AND CONSUMPTION  Energy class A  Spin-drying efficiency class B  Weighted energy consumption [100 cycles, eco 40-60]  Programme duration Rated capacity 3:58  Noise level spinning (dB) (A) 76  Airborn acoustical noise emission class  Water consumption 56  DIMENSIONS  Height of the product 85  Width of the product 59  Full depth (door and pipes included) 66  Cabinet depth (without pipes and door)	Start delay options	Yes (up to 24h)
AESTHETIC Colour White Colour of door Black Colour of handle Black PERFORMANCE AND CONSUMPTION Energy class A Spin-drying efficiency class B Weighted energy consumption [100 54 cycles, eco 40-60] Programme duration Rated capacity 3:58 Noise level spinning (dB) (A) 76 Airborn acoustical noise emission class Water consumption 56 DIMENSIONS Height of the product 85 Width of the product 59 Full depth (door and pipes included) 66 Cabinet depth (without pipes and door)	Main features	All in one
Colour of door Black Colour of handle Black PERFORMANCE AND CONSUMPTION Energy class A Spin-drying efficiency class B Weighted energy consumption [100 cycles, eco 40-60] Programme duration Rated capacity 3:58 Noise level spinning (dB) (A) 76 Airborn acoustical noise emission class Water consumption 56  Water consumption 56  DIMENSIONS Height of the product 85 Width of the product 59 Full depth (door and pipes included) 66 Cabinet depth (without pipes and door)	Steam programme	Yes
Colour of door Black Colour of handle Black PERFORMANCE AND CONSUMPTION Energy class A Spin-drying efficiency class B Weighted energy consumption [100 cycles, eco 40-60] Programme duration Rated capacity 3:58 Noise level spinning (dB) (A) 76 Airborn acoustical noise emission class Water consumption 56  DIMENSIONS Height of the product 85 Width of the product 59 Full depth (door and pipes included) 66 Cabinet depth (without pipes and door)		AESTHETIC
Colour of handle  PERFORMANCE AND CONSUMPTION  Energy class  A  Spin-drying efficiency class  Weighted energy consumption [100 cycles, eco 40-60]  Programme duration Rated capacity  Noise level spinning (dB) (A)  Airborn acoustical noise emission class  Water consumption  56  DIMENSIONS  Height of the product  Width of the product  59  Full depth (door and pipes included)  Cabinet depth (without pipes and door)	Colour	White
PERFORMANCE AND CONSUMPTION  Energy class  A Spin-drying efficiency class  Weighted energy consumption [100 cycles, eco 40-60]  Programme duration Rated capacity  3:58 Noise level spinning (dB) (A)  Airborn acoustical noise emission class  Water consumption  56  DIMENSIONS  Height of the product  85 Width of the product  59 Full depth (door and pipes included)  Cabinet depth (without pipes and door)	Colour of door	Black
Energy class  Spin-drying efficiency class  Weighted energy consumption [100 cycles, eco 40-60]  Programme duration Rated capacity  Noise level spinning (dB) (A)  Airborn acoustical noise emission class  Water consumption  56  DIMENSIONS  Height of the product  Width of the product  59  Full depth (door and pipes included)  Cabinet depth (without pipes and door)	Colour of handle	Black
Spin-drying efficiency class  Weighted energy consumption [100 54 cycles, eco 40-60]  Programme duration Rated capacity  3:58  Noise level spinning (dB) (A)  Airborn acoustical noise emission class  Water consumption  56  DIMENSIONS  Height of the product  85  Width of the product  59  Full depth (door and pipes included)  Cabinet depth (without pipes and door)		
Weighted energy consumption [100 cycles, eco 40-60]  Programme duration Rated capacity 3:58  Noise level spinning (dB) (A) 76  Airborn acoustical noise emission class  Water consumption 56  DIMENSIONS  Height of the product 85  Width of the product 59  Full depth (door and pipes included) 66  Cabinet depth (without pipes and door)	Energy class	A
cycles, eco 40-60]  Programme duration Rated capacity 3:58  Noise level spinning (dB) (A) 76  Airborn acoustical noise emission class  Water consumption 56  DIMENSIONS  Height of the product 85  Width of the product 59  Full depth (door and pipes included) 66  Cabinet depth (without pipes and door) 605	Spin-drying efficiency class	В
Noise level spinning (dB) (A) 76  Airborn acoustical noise emission class  Water consumption 56  DIMENSIONS  Height of the product 85  Width of the product 59  Full depth (door and pipes included) 66  Cabinet depth (without pipes and door) 605	Weighted energy consumption [100 cycles, eco 40-60]	54
Airborn acoustical noise emission class  Water consumption  56  DIMENSIONS  Height of the product  85  Width of the product  59  Full depth (door and pipes included)  Cabinet depth (without pipes and door)  605	Programme duration Rated capacity	3:58
Class  Water consumption 56  DIMENSIONS  Height of the product 85  Width of the product 59  Full depth (door and pipes included) 66  Cabinet depth (without pipes and door) 605	Noise level spinning (dB) (A)	76
Height of the product  Width of the product  Full depth (door and pipes included)  Cabinet depth (without pipes and door)  DIMENSIONS  65  66  Cabinet depth (without pipes and door)		В
Height of the product 85  Width of the product 59  Full depth (door and pipes included) 66  Cabinet depth (without pipes and door) 605	Water consumption	56
Width of the product 59  Full depth (door and pipes included) 66  Cabinet depth (without pipes and door) 605		DIMENSIONS
Full depth (door and pipes included) 66  Cabinet depth (without pipes and door) 605	Height of the product	85
Cabinet depth (without pipes and door) 605	Width of the product	59
door)	Full depth (door and pipes included)	66
Packaged Product Height (mm) 890		605
	Packaged Product Height (mm)	890

Width of the packed product (mm)	653
Packaged Product Depth(mm)	714
Net weight (kg)	80
Gross weight (kg)	86